





Rapid Tap® All-Metal Cutting Fluid

- · Greatly extends tool life.
- Super-fine machined finish in operation after operation.
- Anti-mist protection for a healthier work environment.
- · No special labeling or reporting.
- · Excels in tough materials.
- Contains no 1,1,1trichloroethane or other ozone-depleting chemicals.



ITEM NO.	DESCRIPTION	LENS	1	12	24	48
922100	4 oz. bottle		\$3.01	\$2.84	\$2.68	\$2.54
			1	12	24	48
922103	Pint		8.92	8.41	7.95	7.53
			1	4	8	16
922106	Gallon		50.58	47.65	45.04	42.70
			1	2	4	6
922109	5 gallon pail		247.43	233.49	221.04	209.85
			1	2	3	4
922112	55 gal. drum		1,462.50	1,392.86	1,329.55	1,271.74
			1	6	12	24
922120	8 oz. jar - PASTE		8.62	8.12	7.67	7.27

REL SAW™ Band-Saw Coolant Concentrate

- For use in machines with coolant circulation systems.
- Stable over a wide variety of water conditions.
- Promotes cleaner-running machines compared to soluble oils.
- · Long emulsion life.
- Contains rust- and corrosion inhibitors.
- Dilutable up to 30:1.



ITEM NO.	DESCRIPTION	1	4	8	16
922160	Gallon	\$30.09	\$28.35	\$26.79	\$25.40
		1	2	4	6
922163	5 gallon pail	128.00	120.69	114.16	108.31
		1	2	3	4
922166	55 gal. drum	1,050.00	1,050.00	975.00	941.38


TCO-14[™] / TCO-16[™] Thread-Cutting Oil


- Ready to cut clean, smooth threads on all pipe materials.
- Extreme-pressure additive for anti-weld characteristics.
- Excellent protection of tools and machined parts against corrosion.
- Contains anti-mist component for a healthier work environment.
- Available in Dark (TCO-14) or Light (TCO-16); operationally



ITEM NO.	DESCRIPTION	1	4	8	16
922130	Gallon - DARK	\$21.23	\$20.00	\$18.90	\$17.92
922133	Gallon - LIGHT	20.31	19.13	18.08	17.14
		1	2	4	6
922136	5 gallon pail - DARK	102.18	96.26	90.99	86.26
922139	5 gallon pail - LIGHT	90.83	85.57	80.88	76.68
		1	2	3	4
922142	55 gal. drum - DARK	608.11	584.42	562.50	542.17
922145	55 gal. drum - LIGHT	608.11	584.42	562.50	542.17

A-9® Aluminum Cutting Fluid





 Contains a scientific blend of chemicals that attach to aluminum surfaces, forming an extreme-pressure boundary lubricant between tool and work surface.



Fax: (855) 390-3430

ITEM NO.	DESCRIPTION	LENS	1	12	24	48
922180	4 oz. bottle		\$2.31	\$2.17	\$2.05	\$1.95
			1	6	12	48
922183	Pint		8.55	8.06	7.62	7.22
			1	4	8	16
922186	Gallon		48.18	45.39	42.90	40.68
			1	2	4	6
922189	5 gallon pail		192.73	181.71	171.89	163.08
			1	2	3	4
922192	55 gal. drum		1,462.50	1,392.86	1,329.55	1,271.74







Air-FLO® Air Tool Oil

- · For piston-driven and rotary air tools.
- Air-FLO Air Tool Oil incorporates both the latest technology and finest materials to produce a premium air-tool oil.
- Manufactured from solvent-refined, hydro-treated paraffinic base stocks, Air-FLO is fortified with additives to provide anti-wear, extreme-pressure, oxidation-resistance, anti-rust and foam-protection qualities.
- · Superior oxidation stability.
- Resistance to formation of gums, sludges, and deposits.
- Anti-wear fortified for extended life, lower maintenance.
- Protection against rust and corrosion.
- · Excellent seal compatibility.
- · Metal-wetting properties.
- · Dirt particles held in suspension.
- · Contaminants flushing.
- 10wt non-detergent.





ITEM NO.	DESCRIPTION	LENS	1	12	24	48
922210	4 oz. bottle		\$4.15	\$3.91	\$3.70	\$3.51
			1	6	12	24
922213	Pint		8.98	-	8.46	8.00
			1	4	8	16
922216	Gallon		45.97	43.30	40.93	38.81
			1	2	3	4
922219	55 gal. drum		730.26	702.53	676.83	652.94



PRO TAP Cutting Fluid

- Highly effective for all cutting operations on all metals.
- Biodegradable
- · Totally free of all regulated chemicals.
- · Extends tool life.
- 12 per case.



case.					
DESCRIPTION	1	12	24	48	96
12 oz. aerosol	\$16.85	\$15.92	\$15.08	\$14.33	\$13.64
	DESCRIPTION	DESCRIPTION 1	DESCRIPTION 1 12	DESCRIPTION 1 12 24	DESCRIPTION 1 12 24 48

OPTION 1® Biodegradable Metal-Cutting Fluid

- OPTION 1® leaves no oily residue.
- · Water-based.
- No 1,1,1- trichloroethane or other ozone-depleting chemicals.
- Cleans up with clean dry cloth or water.
- Great for use in computer, clean rooms, hospitals or when a weld operation follows machining operations.



ITEM NO.	DESCRIPTION	LENS	1	4	8	16
922240	Gallon		\$48.18	\$45.39	\$42.90	\$40.68
			1	2	4	6
922243	5 gallon pail		230.69	217.69	206.08	195.65
			1	2	3	4
922246	55 gal. drum		1,462.50	1,392.86	1,329.55	1,271.74

372 Synthetic Cutting Fluid



- Water-dilutable, oil-free synthetic formula removes heat to protect tools and improve cut capacity.
- Provides maximum lubrication while leaving a rust-inhibiting coating.
- Reduces abrasive wear prolonging tool life and yielding quality finishes.
- Low-foaming formula will not gum or clog coolant lines.
- Water dilution ratios and applications:
- Heavy duty: 1:10 for internal and external broaching, tapping, threading, gear shaving & hobbing.
- Medium duty: 1:20 for cutting, drilling, reaming, milling, boring, turning, planing, shaping, & sawing.
- Light duty: 1:30 for form grinding and surface grinding.



ITEM NO.	DESCRIPTION	LENS	1	4	8	16
201639	Gallon		\$30.42	\$28.69	\$27.14	\$25.74

ULTRA LUBE™ Cutting Tool Lubricant

- · An excellent lubricant for all types of drilling, tapping, cutting, reaming, and associated applications.
- · Extra-thick, super concentrated formula clings to the drill bit better without just running off the bottom.
- · Virtually smoke-free even in the most heat-prone applications.
- · Contains no ozone-depleting substances.
- · This fluid will extend tool life and yield a super machined finish.



ITEM NO.	DESCRIPTION	1	12	24	48	96
922000	4 oz. bottle	\$3.01	\$2.85	\$2.70	\$2.56	\$2.44
922010	16 oz. bottle	9.71	9.17	8.68	8.25	7.86

MEGA FOAMCUT® Threading/Cutting **Foam**

- · Versatility: Use on ferrous & nonferrous metals.
- · Applications: Tapping, drilling, reaming, boring, milling, broaching, and trepanning.
- · Efficiency: Precise application, provides long contact time with tooling.
- · Effectiveness: Promotes longer tool life and better finish.
- · Lubricity: Unique chemical cooling of the workpiece and tool.

ITEM NO.	DESCRIPTION	1	12	24	48	96
922520	17 oz Aerosol Can	12.52	11.80	11.15	10.57	10.05

SUPER S Hi-Temp Red Lithium NLGI 2



- · NLGI 2, lithium complex premium quality, multifunctional grease that provides outstanding high temp performance and excellent lubrication.
- Dropping point exceeds 500°F
- Uses: heavy duty/fleet, wheel bearings, vehicle chassis, boat trailers, universal joints, ball and roller bearings, and many others.



Mystik

JT-6[®] Multi-Purpose **Hi-Temp Grease**

- · Provides superior rust, oxidation, and corrosion resistance.
- Designed to meet the high temperature conditions of modern universal joints, the extreme pressures of wheel bearings and the water washout conditions of fifth wheels and chassis points.
- · Other applications include: Backhoe hinge pins, conveyor bearings, etc.
- · 10 cartridges per case



SUPER S Multi-Purpose #2 Lithium Grease



- · NLGI 2, lithium based, water resistant grease for automotive and light to medium trucks, farm and industrial applications.
- Recommended for automotive chassis lubrication points, ball joints and universal joints.
- · Resists softening at high operation temperatures.
- Seals out dirt and moisture contamination
- · Protects against rust and corrosion
- · 10 cartridges per case



ITEM NO.	DESCRIPTION	10	50	100	300
921671	14 oz. cartridge	\$3.31	\$3.13	\$2.97	\$2.83



Fax: (855) 390-3430

PB™ BLASTER® **Penetrating Catalyst**

- · Loosens rusted, warped, and frozen parts.
- · Attacks rust from all angles using a unique capillary action.
- · PB™ does not evaporate, but leaves a lubricating film on parts to prevent further rust and corrosion.
- · Ideal for automotive, industrial, marine, and agricultural applications.



ITEM NO.	DESCRIPTION	1	12	24	48	96
108160	11 oz. aerosol	\$7.98	\$7.53	\$7.14	\$6.78	\$6.46

JOHNSEN'S



Penetrating Oil

- · Stops squeaks and loosens rusted parts.
- 12 per case.





ITEM NO.	DESCRIPTION	1	12	24	48	96
921702	10 oz. aerosol	\$3.81	\$3.60	\$3.41	\$3.24	\$3.08

FREE ALL Deep Penetrating Oil

- · Penetrates rust, scale, and corrosion to free parts and assemblies INSTANTLY!
- · Loosens red and white lead, tar, grease, carbon and graphite deposits.
- · Contains specially rust eating agent that is ideal for a wide range of applications.
- · Contains NO silicones, making it safe in paint and shop environments.






ITEM NO.	DESCRIPTION	1	12	24	48	96
150500	11 oz. aerosol	\$10.46	\$9.88	\$9.36	\$8.89	\$8.46

WD-40 Open Stock Lubricant

- · Lubricates moving parts such as hinges, wheels, rollers, chains, and gears.
- · Protects against rust and corrosion.
- · Penetrates to free stuck and corroded parts.
- · Displaces moisture to restore wet or flooded equipment such as engines, spark plugs, and power tools.
- · Sprays two ways: spray (straw down) or stream (straw up).
- 12 per case.







ORIGINAL

- Stops Squeaks
- Protects Against Corrosion
- Loosens Rusted Parts
- Frees Sticky Mechanisms
- Drives Out Moisture

Starting Fluid

- · For gas or diesel engines.
- · Faster starting saves batteries.
- · Contains upper cylinder lubricant.
- Performs to -65° F.
- · Complies with federal low sulfur content requirements for use in diesel motor vehicles and nonroad engines.



ITEM NO.	DESCRIPTION	1	12	24	48	96
921652	10.7 oz. aerosol	\$3.32	\$3.13	\$2.97	\$2.82	\$2.68

JOHNSEN'S

Carb & Choke Cleaner

- · Cleans carburetor linkage, PCV valve and choke.
- · Oxygen sensor safe.
- 12 per case.



ITEM NO.	DESCRIPTION	1	12	24	48	96
921752	16.25 oz. aerosol	\$3.64	\$3.44	\$3.25	\$3.09	\$2.94

Non-Chlorinated Brake & **Parts Cleaner**

- · High power spray removes brake fluid, grease and oil instantly.
- · 12 per case.



ITEM NO.	DESCRIPTION	1	12	24	48	96
921784	14 oz. aerosol	\$3.30	\$3.12	\$2.95	\$2.81	\$2.67

Non-Flammable Brake & **Parts Cleaner**

- · High power spray to remove brake fluid, brake dust and contaminants.
- 12 per case.

ITEM NO.	DESCRIPTION	1	12	24	48	96	0
921790	16 oz. aerosol	\$4.59	\$4.34	\$4.11	\$3.90	\$3.72	

All-Purpose Cleaner & Degreaser

- · Versatile, all-purpose cleaner.
- · Concentrate is non-toxic, biodegradable, and dilutable.
- · Removes grease, oil, soot, grime, food residue, & more!
- · Formula is non-flammable & nonhazardous.
- Can be used on all water-safe surfaces.





ITEM NO.	DESCRIPTION	1	12	24	48
201106	32 oz Trigger Spray	\$9.38	\$8.86	\$8.39	\$7.98

Industrial Strength Cleaner & Degreaser

- · A unique blend of non-toxic, biodegradable detergents that form a powerful, non-flammable extra heavy-duty cleaner and degreaser.
- · Gentle enough for cleaning clothes, upholstery, and carpet, but strong enough for heavy duty projects like cleaning engines and construction equipment.
- Concentrated formula removes grease, grime, oil, soap scum, & more.



ITEM NO.	DESCRIPTION	1	12	24	48
201101	32 oz trigger spray	\$5.75	\$5.43	\$5.14	\$4.89
		1	4	12	24
201102	1 gallon bottle	n/a	12.60	11.90	11.28







Cool Gel® Heat Barrier Spray

- Cool Gel® is a clear non-staining gelled heat barrier spray that protects components and materials during soldering.
- It protects painted and finished surfaces from discoloration due to torch heat, and sticks to surfaces without dripping or running off.
- Reduces expensive danger of fire to surrounding surfaces such as wood, drywall, and valve seals.



ITEM NO.	DESCRIPTION	1	6	12	24
211513	16 oz. sprayer bottle	\$17.53	\$16.56	\$15.68	\$14.90
211514	32 oz. sprayer bottle	24.93	23.54	22.30	21.19

Don't settle for RUSTY TOOLS!

790 HTR-30™ Chemical Heat Tint Remover

- Strong acid formula effective in the removal of heat tint and metal discoloration caused by high temperatures within the weld zone on stainless steel, and will passivate.
- Requires strict adherence to label directions for safe use and disposal.
- 6 per case.



ITEM NO.	DESCRIPTION	1	6	12	24
201622	550g bottle (1.21 lb)	\$35.08	\$33.07	\$31.28	\$29.68

385 RUST REMOVER RUST DELAYER AND PHOSPHATIZING AGENT

Delays Future Rust Prepares Surface for Paint Adhesion NGER: Contains Phosphoric Acid. Narmful or Fatal if Swallowed KEEP OUT OF REACH OF CHILDREN. NET CONTENTS: 1 Gallon - 3.776 l

385 - Rust Remover

- A unique blend designed for the rapid removal of rust
- Phosphatizing agent delays future rust, and creates a conducive surface for paint adhesion
- Dilutable 1:3 or 1:30, depending on application


ITEM NO.	DESCRIPTION	1	4	8	16
201636	Rust Remover, 1 Gallon	\$32.86	\$30.99	\$29.31	\$27.81
		1	2	4	8
201637	Rust Remover, 2.5 Gal [2/Case*]	156.06	147.27	139.41	132.35

Phone: (855) 4ZDRILL Order Email: orderdesk@zdrill.net Fax: (855) 390-3430

306 Cold Galv Liquid **Zinc Galvanizing Coating**

- · Produces a cathodic coating that will stop rust & corrosion on ferrous surfaces.
- · Equivalent to hot dip galvanizing in cathodic protection and film durability as well as protects against corrosion action of salt spray.
- · Contains metallic zinc dust.
- · Can be applied with brush or roller, or

201657



297.16

297.16



DVNRFLUX COLD GALV STOR RUST and CORROSON See the state of the state		ı
COLD GALV STOPS RUST and CORROSON STOPS RUST		V.
STOPS RUST and CORROSION Section 2015 And CORROSION Sect	DYNAFLUX	K
STOPS RUST and CORROSION Section 2015 And CORROSION Sect	COID GAIV	ľ
And the second s		ı
Section 1 - Section 2 - Sectio		ı
The second secon		I
With the second control of the second contro		ı
Proceedings Proce		п
White Princip Comparison. On the freezh captor or party mar, the property less would plant allow from the captor and the capto		П
KEEP OUT OF REACH OF CHILDREN For assemble standard, see Marcel Standard St	MARCH P AND COMMUNICED On her breen record or good that. One properly their excitate believed the property than and pro-perform.	ı
		ı
	nna.dynafus.com	п
MET CONTENTS: QUART GALLON		и.

Zinc Galvanizing Spray · Produces a cathodic coating that will stop rust

309 SprayGalv Matte Finish

- & corrosion on ferrous surfaces.
- · Equivalent to hot dip galvanizing in cathodic protection and film durability as well as protects against corrosion action of salt spray.
- · Contains metallic zinc dust.
- · Leaves a matte finish.
- 12 per case

YNAFLUX



ITEM NO.	DESCRIPTION	1	12	24	48	96
201659	13 oz. aerosol	\$10.55	\$9.94	\$9.41	\$8.92	\$8.49

781 Aluminum Cleaner & Brightener

Gallon Can

- · Provides rapid and effortless cleaning and removal of grease, oil, dirt, and white, chalky aluminum oxides before welding.
- · Removes weld residue and discoloration after welding for a clean, even finish.
- Rinse agents provide a sheeting action for film-free rinsing.
- · Ready to use.
- Non-flammable



280.65

265.88

ITEM NO.	DESCRIPTION	1	12	24	48
201631	Quart bottle	\$8.92	\$8.92	\$7.96	\$7.55
		1	4	8	16
201632	Gallon bottle	23.18	21.86	20.68	19.62
		1	2	3	4
201633	55 gal. drum	745.20	707.47	673.37	642.41

305 SprayGalv Aluminized **Metallic Zinc Coating**

- · Provides a hard coating which stops rust and corrosion on all metal surfaces.
- Equivalent to hot dip galvanizing in cathodic protection and film durability and protection against caustic action of salt spray.
- · Resists peeling, blistering, rust, weather, gasoline and oil.
- · Compounded from metallic zinc & aluminum dust, resin, and other additives to provide t look of new galvanizing.
- · Leaves a bright finish.

the	NET INT. IS	FERSICH OF CHILD 402 (FLEE) CHILD CHILD COSA: Elemy Gen Sup	
24	48	96	
0.46	\$9.92	\$9.44	
12	24	48	
3.66	69.68	-	
1	۰	16	

ITEM NO.	DESCRIPTION	1	12	24	48	96
201651	16 oz. aerosol	\$11.73	\$11.06	\$10.46	\$9.92	\$9.44
		1	6	12	24	48
201652	Quart Can	78.12	78.12	73.66	69.68	-
		1	2	4	8	16
201653	Gallon Can	301.60	301.60	284.61	269.43	-

394 Stainless Steel Cleaner

- · Unlike common oil based cleaners or polishers, this water based formula contains heavy duty cleaning agents and solvents to both clean AND polish.
- Removes water marks, smudges, oil and grease stains with minimal agitation.
- · Results in a non-greasy and streak-free finish which resists further soiling.

Phone: (855) 4ZDRILL

· 12 per case.

ITEM NO.	DESCRIPTION	1	12	24	48	96
201626	16 oz. aerosol	\$8.92	\$8.41	\$7.96	\$7.55	\$7.18

321 DYNA SHIELD Heat Shield

- · DYNA-SHIELD is designed to create a barrier against the transfer of heat by conduction and convection during weld-ing and soldering.
- · DYNA-SHIELD will absorb the heat as it travels along the metal surface, which leaves the rest of the metal surface cool.
- · Can be sprayed or brushed.

ITEM NO.	DESCRIPTION	1	6	12	24	48
201621	16 oz. sprayer bottle	\$10.61	\$10.00	\$9.46	\$8.97	-

Fax: (855) 390-3430





NOZZLE-KLEEN® HD Anti-Spatter

- · For use in High Temp applications.
- Maximum heat range for inverters and Argon-rich mixtures.
- · Non-flammable and paintable.
- · Great for use on stainless steel.
- 6 per case.

ITEM NO.	DESCRIPTION	6	24	48	96
902240	15 oz. aerosol	\$15.68	\$14.81	\$14.03	\$13.33



NOZZLE-KLEEN® No. 2 Anti-Spatter

- Nozzle-Kleen products are engineered to reduce spatter buildup on nozzles, tips, and diffusers.
- For most industrial welding applications.
- · Non-flammable and paintable.
- 6 per case.

ITEM NO.	DESCRIPTION	1	6	24	48	96
902220	16 oz. aerosol	\$12.25	\$11.57	\$10.96	\$10.42	\$9.92

200 Heavy Duty Anti-Spatter

- Provides protection to MIG gun nozzles, contact tips, accessories and all weld zones during single and multi-pass welding.
- Provides weld protection on parts to be stored.
- Requires little cleaning prior to painting when applied properly.
- · Non-flammable, silicon-free.



ITEM NO.	DESCRIPTION	1	24	48	96	192
201601	16 oz. aerosol	\$6.42	\$6.06	\$5.73	\$5.44	\$5.17
201602	24 oz. aerosol	9.32	8.79	8.31	7.88	
		1	4	8	16	
201603	Gallon	52.61	49.60	46.92	44.51	-
		1	2	4	6	
201604	5 gallon pail	230.13	217.35	205.91	1195.61	-
		1	2	3	4	
201605	55 gal. drum	1,710.63	1,629.17	1,555.11	1,487.50	-

395 Mineral Emulsion Anti-Spatter

- Provides a safe and effective anti-spatter coating which prevents adhesion welding spatters on consumables and work pieces.
- · Creates a thick film for heavy industrial welding.
- Oil paint compatible, and water and/or solvent removable.
- Excellent for use on all materials especially stainless steel.
- · Non-flammable, silicon-free.



ITEM NO.	DESCRIPTION	1	24	48	96
201611	16 oz. aerosol	\$6.14	\$5.79	\$5.47	\$5.19
		1	4	8	16
201612	Gallon	14.17	13.36	12.64	11.99
		1	2	4	8
			_	1	_
201613	5 Gallon [2-2.5 gal*]	72.06	67.94	64.27	60.97
201613	5 Gallon [2-2.5 gal*]			64.27	

WELD-KLEEN® HD Anti-Spatter

- Weld-Kleen products are engineered to protect parts, clamps, tooling, and fixtures.
- Aerosol is solvent-based, quick-drying, and can take pre-heating.
- · Non-flammable and paintable.
- · 6 per case.



ITEM NO.	DESCRIPTION	1	6	24	48	96
902230	20 oz. aerosol	\$14.63	\$13.82	\$13.09	\$12.44	\$11.85

TD-97 Ceramic Anti-Spatter

- TD-97 is a dry film ceramic coating which is sprayed onto parts to protect them from weld spatter.
- Easy to apply and fast-drying [less than a minute].
- Saves on welding consumables and produces higher quality welds.
- Easy cleanup, as well as reduced need for cleaning chemicals.
- Typical applications include:
- MIG and MAG welding
- · Laser and Plasma Cutting
- · Jigs, Fixtures, Nozzles, Tips, Cabling
- · Work Pieces and Shrouds
- Cables and Sensors
- Compares to LOCTITE® SF 7900™



THERMAL DEFENDER is a registered trademark of ND Industries Inc.

ITEM NO.	DESCRIPTION	1	3	6	12	24
902270	20 oz. aerosol	\$25.92	\$24.42	\$23.08	\$21.88	\$20.80



High Performance Anti-Spatter

- High performance spatter release solution protects welding equipment and work surfaces from unwanted spatter.
- · Safe for painted and plated metals.
- Rinses residue free for use prior to painting and plating.
- Formula is solvent free, silicone free, non-flammable, and non-corrosive.
- · Formula is readily biodegradable



ITEM NO.	DESCRIPTION	1	12	24	48
902200	32 oz Trigger Spray	\$9.35	\$8.83	\$8.37	\$7.95

NOZZLE-DIP HD Nozzle Gel

- Out-performs petroleum based nozzle dips & gels.
- · Can dip hot or cold!
- Excellent cooling properties for longer tip and nozzle life.
- · Non-flashing and paintable.
- · Gel will not migrate into liner.
- Does not contain silicones, fluorocarbons, or methylene chloride.



ITEM NO.	DESCRIPTION	1	6	12	24
902320	32 oz quart jar	\$19.41	\$18.33	\$17.37	\$16.50

DYNAFLUX QUALITY PRODUCTS

731 Nozzle Gel

- Provides excellent protection against weld spatter build-up on MIG gun nozzles, contact tips, positioners, stud welding chucks and electrode holders on all welding apparatus.
- · Will not cause porosity.
- Non-flammable, non-toxic, and silicon-free. Petrolatum formula.



ITEM NO.	DESCRIPTION	1	6	12	24	48
201606	16 oz. jar	\$5.85	\$5.51	\$5.22	\$4.95	\$4.71



NOZZLE-KLEEN® YORK107A Anti-Spatter

 Non-toxic, silicon free, biodegradable and environmentally friendly product provides spatter protection for base metals, nozzles, tips, electrode holders, jigs, clamps, and work surfaces.



ITEM NO.	DESCRIPTION	1	12	24	48
902330	20 oz container, 11 oz net wt	\$13.05	\$12.33	\$11.68	\$11.09

LUBE-MATIC® Wire

- Kleener & Lubricant
- · Increases tip and liner life.
- · Cuts rust and reduces wire drag by 60%.
- · Decreases downtime due to jamming.
- · Use to re-lube black pads (listed below).



ITEM NO.	DESCRIPTION	1	6	12	24
908515	3.75 oz. can	\$11.39	\$10.76	\$10.19	\$9.68

LUBE-MATIC® Lube & Kleener Pads

- Provides up to 300% tip and liner life.
- 007062 includes (1) black lube pad for steel wires, and (1) red kleener pad for all wires. Use together for maximum torch life.
- 007060 and 007061 include 6 pads of Lube-Matic or Kleener pads, respectively.
- Lubrication allows smooth feeding of wires with poor cast, helix, rust, and long feed liners.
- Not recommended for aluminum wires.



ITEM NO.	DESCRIPTION	1 pack	12	24	48
908524	Combo-Pak w/2 pads	\$1.45	\$1.36	\$1.29	\$1.29
		1 pack	6	12	24
908518	Lube Pads, 6/Pack	13.71	12.95	12.27	11.66
908521	KLEENER Pads, 6/Pack	12.99	12.27	11.63	11.05