

Welding Glove 1864

- This medium-weight American Whitetail Deer split glove is ideal for TIG and MIG welding, and even plasma cutting.
- Unlined, very supple leather offers an excellent combination of dexterity and comfort.
- The dyed graphite gray color deerskin has been pre-washed to eliminate lint from the suede.
- External leather lean-drag patch offers extra protection from hot surfaces.
- Price per pair, sold in multiples of 6 pairs.



ITEM NO.	DESCRIPTION	1 pair	6 pair	12 pair	24 pair	48 pair
693215	Size: S	\$ 21.88	\$20.67	\$19.58	\$18.60	\$17.71
693218	Size: M	21.88	20.67	19.58	18.60	17.71
693221	Size: L	21.88	20.67	19.58	18.60	17.71
693224	Size: XL	21.88	20.67	19.58	18.60	17.71

Welding Glove 1540

- The ultimate TIG glove featuring premium goat grain leather on palm, and seamless index finger for durability and dexterity.
- Outside portion of index and upper palm area are internally padded for comfort during extended TIG operations.
- External cow split leather lean-drag patch provides extra insulation and durability.
- Patent pending Kontour Wrist™ design provides added comfort and safety.
- Price per pair, sold in multiples of 6 pairs.



ITEM NO.	DESCRIPTION	1 pair	6 pair	12 pair	24 pair	48 pair
693245	Size: S	\$ 18.69	\$17.65	\$16.72	\$15.89	\$15.13
693248	Size: M	18.69	17.65	16.72	15.89	15.13
693251	Size: L	18.69	17.65	16.72	15.89	15.13
693254	Size: XL	18.69	17.65	16.72	15.89	15.13

Welding Glove 1600

- A simple design that comes at an affordable price.
- This unlined goat grain glove, with our Kontour™ pattern, makes for a very comfortable option for TIG welding.
- Price per pair, sold in multiples of 6 pairs.



ITEM NO.	DESCRIPTION	1 pair	6 pair	12 pair	24 pair	48 pair
693230	Size: S	\$12.76	\$12.06	\$11.42	\$10.85	\$10.33
693233	Size: M	12.76	12.06	11.42	10.85	10.33
693236	Size: L	12.76	12.76	11.42	10.85	10.33
693239	Size: XL	12.76	12.06	11.42	10.85	10.33

Welding Glove 1506

- Ultimate combination of features and benefits, highest value of the line.
- Competitively priced while offering thumb and palm reinforcements, and leather welting on all critical seams.
- Most comfortable, but effective, insulation.
- Price per pair, sold in multiples of 6 pairs.



ITEM NO.	DESCRIPTION	1 pair	6 pair	12 pair	24 pair	48 pair
693260	ONE SIZE	\$19.21	\$18.14	\$17.18	\$16.33	\$15.55

Welding Glove 1504

- A new and perfect answer to the ugly, old and uncomfortable gray welding gloves that have tormented welders for too many years.
- Affordability, comfort and an ergonomically-correct straight-thumb with reinforcement strap sets this glove apart from the rest.
- Sewn with Kevlar® thread lock-stitching and leather welting on critical seams.
- Price per pair, sold in multiples of 6 pair, OR purchase a 3-pair value pack.



ITEM NO.	DESCRIPTION	1 pair	6 pair	12 pair	24 pair	48 pair
693269	ONE SIZE	\$11.94	\$11.28	\$10.68	\$10.15	\$9.67
		1 pack	4	8	16	
693275	3-Pair Value Pack	7.35	6.94	6.58	6.25	

COMFOflex® Premium Welding Glove

- “The world’s most comfortable welding gloves.”
- Scientifically designed, patented COMFOflex air-cushioned lining is sweat absorbent and flame retardant.
- Grade A side split cowhide with continuously welted seams to increase durability and minimize stitch burnout.
- Patented palm and thumb reinforcement sewn with 5-ply Kevlar®.
- 14” length.



ITEM NO.	DESCRIPTION	1 pair	6 pair	12 pair	24 pair	48 pair
693420	Size: S	\$14.60	\$13.75	\$13.00	\$12.32	\$11.72
693423	Size: L	14.60	13.75	13.00	12.32	11.72
693429	Size: XXL	16.12	15.19	14.36	13.61	12.94
693426	Size: L Left-hand	14.77	14.77	13.15	12.47	-

COMFOflex® 2087 Premium Welding Glove

- Grade A shoulder split cowhide, 14” length.
- Kevlar® sewn.
- Patented palm patch.
- Features the COMFOflex air cushion and sweat-absorbent fleecy cotton flame retardant lining.
- Size Large only.



ITEM NO.	DESCRIPTION	1 pair	6 pair	12 pair	24 pair	48 pair
693433	Size: L	\$14.20	\$13.38	\$12.64	\$11.99	\$11.40

COMFOflex® 2076 Oil-Resistant Welding Glove

- Oil-resistant top grain pigskin.
- Kevlar® sewn.
- Features the COMFOflex air cushion and sweat-absorbent fleecy cotton flame retardant lining.
- 13.5” Length.
- Size Large only.



ITEM NO.	DESCRIPTION	1 pair	6 pair	12 pair	24 pair	48 pair
693440	Size: L	\$20.55	\$19.36	\$18.30	\$17.35	\$16.49

0160 Cotton-Lined Welding Glove

- Select shoulder split
- Full cotton lining
- 13.5” length
- Kevlar® sewn



ITEM NO.	DESCRIPTION	1 pair	6 pair	12 pair	24 pair	48 pair
693400	Size: S	\$10.66	\$10.04	\$9.49	\$9.00	
693403	Size: L	10.66	10.04	9.49	9.00	8.56
693406	Size: XXL	11.85	11.16	10.55	10.00	9.51

DEERSOsoft® 2374 MIG/TIG Glove

- Grain deerskin
- Premium 3” side split cowhide cuff for abrasion resistance and forearm protection
- Split cowhide back for added durability
- Kevlar® stitching to minimize seam burnout
- Fully unlined for the best control and sensitivity



ITEM NO.	DESCRIPTION	1 pair	6 pair	12 pair	24 pair	48 pair
693490	Size: M	\$22.14	\$20.86	\$19.71	\$18.69	\$17.77
693493	Size: L	22.14	20.86	19.71	18.69	17.77
693496	Size: XL	22.14	20.86	19.71	18.69	17.77

DEERSOsoft® 2327 MIG/TIG Glove

- Split deerskin, unlined
- Premium 4” side split cowhide cuff for abrasion resistance and forearm protection
- Designed to form to the shape of your hand
- Kevlar® stitching to minimize seam burnout
- Extremely comfortable and offer great dexterity.



ITEM NO.	DESCRIPTION	1 pair	6 pair	12 pair	24 pair	48 pair
693480	Size: M	\$14.54	\$13.70	\$12.95	\$12.27	\$11.67
693483	Size: L	14.54	13.70	12.95	12.27	11.67



For over 25 years, ArcOne® has fueled the growth in Auto-Darkening technology.

GOOD

Carrera™

#024000 ArcOne's most popular model

#024002 Larger 7.1 sq. in. size

Vision911®

#024025 Slim and ultra-light

#024030 Larger 7.1 sq. in. size

Vision® Passive

#024090 Passive with 5" x 4" shade

BETTER

Vision®

#024015

- 7.25 sq. in
- Shades 5 to 14
- HD lens technology.

BEST

Vision®

#024020

- 12.6 sq. in
- Shades 5 to 14
- HD lens technology
- X-TIG mode

#024023

- 17 sq. in – largest viewing area in the industry!
- Shades 5 to 14
- HD lens technology
- X-TIG mode

VISION® Helmet Series

- The Vision hood is light, slim and will fit into tight areas, all while offering optimal face, ear and neck coverage.
- The ArcOne® Vision® helmet series offers premium quality features for heavy-duty, all-day welding:
- HD Technology – see below
- Best-in-class optical clarity & sensitivity
- X-TIG technology: ideal for low amp TIG welding or in an environment with obstructed views. While in the X-TIG mode, sensors are triggered by the electromagnetic field that is created when you start to weld rather than by the light of an arc.
- Large viewing areas
- Dust and water resistant to withstand the toughest conditions
- Wide dark state shade range
- ComfaGear® headgear
- Patented cover plate quick-change system
- All Vision® Auto-Darkening lenses meet ANSI and CSA standards.

VISION® BFFVX Auto-Darkening Welding Helmet

- The largest viewing area in the industry!
- Low power consumption solar battery – only needs charge every 4-6 months.
- 3-year warranty.
- Viewing area 17 sq. in.
- Light state 3
- Dark state 5-13
- Variable sensitivity
- Fixed delay
- X-TIG mode
- Grind mode
- TIG rating 5 amps
- 3 sensors
- Inside cover plate: #022000 or 022005
- Outside cover plate: #022000
- Replacement headgear: #023003



ITEM NO.	DESCRIPTION	1	2	4	6
024023	VISION BFFVX helmet	\$233.37	\$221.56	\$210.88	\$201.18




See color in its truest form with ArcOne's new HD Technology. This innovative technology increases the range of visible light when looking through the lens, and while welding. By increasing the range of light, more natural colors can be seen, providing a clearer, more defined view of your work area.

See the difference!

Other Light State



BFFVX • Light State



Other Shade 5



BFFVX • Shade 5





VISION® X81VX Auto-Darkening Welding Helmet

- TIG rating under 5 amps.
- 3-year warranty.
- Viewing area 12.6 sq. in.
- Light state 3
- Dark state 5-14
- 8-setting sensitivity
- 8-setting delay
- X-TIG mode
- Grind mode
- TIG rating <5 amps
- 5 sensors
- Inside cover plate: #022002
- Outside cover plate: #022000 or #022005
- Replacement headgear: #023003



ITEM NO.	DESCRIPTION	1	2	4	6
024020	VISION X81VX helmet	\$285.87	\$271.58	\$258.64	\$246.89

VISION® X54VI Auto-Darkening Welding Helmet

- Built for the professional welder.
- 3-year warranty.
- Viewing area 7.25 sq. in.
- Light state 4
- Dark state 5-14
- 8-setting sensitivity
- 8-setting delay
- Grind mode
- TIG rating 5 amps
- 4 sensors
- Inside cover plate: #022004 or #022005
- Outside cover plate: #022000
- Replacement headgear: #023001 or #023002



ITEM NO.	DESCRIPTION	1	2	4	6
024015	VISION X54VI helmet	\$186.96	\$177.25	\$168.49	\$160.56

VISION911® Helmet Series

The same Vision shell you know and love is now offered with a more economical 110x90mm lens. Built for quick welding tasks but with many of the features from the professional and industrial grade helmets.

VISION911® 4500V Auto-Darkening Welding Helmet

- 3-year warranty.
- Viewing area 7.1 sq. in.
- Light state 4
- Dark state 9-13
- Variable sensitivity
- Variable delay
- Grind mode
- TIG rating 25 amps
- 4 sensors
- Inside cover plate: #022001
- Outside cover plate: #022002
- Replacement headgear: #023000



ITEM NO.	DESCRIPTION	1	2	4	8
024030	VISION911 4500V helmet	\$120.60	\$113.90	\$107.91	\$102.51

VISION911® 1000F Auto-Darkening Welding Helmet

- 3-year warranty.
- Viewing area 6 sq. in.
- Light state 4
- Dark state 9-13
- Variable sensitivity
- Variable delay
- Grind mode
- TIG rating 25 amps
- 2 sensors
- Inside cover plate: #022001
- Outside cover plate: #022002
- Replacement headgear: #023000



ITEM NO.	DESCRIPTION	1	2	4	8
024025	VISION911 1000F helmet	\$102.60	\$96.90	\$91.80	\$87.21

CARRERA™ Helmet Series

The Carrera™ ArcOne® helmet is ultra-light, and has a sleek, modern design. It has a wider fit popular for all welders.

- Built with many features from the professional and Industrial grade helmets for the everyday welder looking to make quick work of most welding applications:
- True Color Technology • Shade Control
- Grind Mode • Sensitivity • Delay
- All Carrera™ ArcOne® Auto-Darkening lenses meet ANSI and CSA and are CE approved.

CARRERA™ 4500V Auto-Darkening Welding Helmet

- 3-year warranty.
- Viewing area 7.1 sq. in.
- Light state 4
- Dark state 9-13
- Variable sensitivity
- Variable delay
- Grind mode
- TIG rating 25 amps
- 4 sensors
- Inside cover plate: #022001
- Outside cover plate: #022002
- Replacement headgear: #023000



ITEM NO.	DESCRIPTION	1	2	4	8
024002	CARRERA 4500V helmet	\$120.60	\$113.90	\$107.91	\$102.51

Cover Plates

- ArcOne's specially designed cover plates are lightweight, hold up to the highest standards, and may be used with other manufacturers helmets.

ITEM NO.	SIZE	1	20	50	100
022000	5 x 4 x 0.40"	\$1.66	\$1.57	\$1.49	\$1.41
022001	2 x 4 x 0.40"	0.85	0.81	0.76	0.73
022002	90mm x 110mm x 0.40"	1.66	1.57	1.49	1.41
		1 pack	20	50	100
022003	For PYTHON, pack of 2	8.54	8.07	7.64	7.26

Inside Cover Plates

ITEM NO.	SIZE	1	20	50	100
022004	5 x 4 x 0.30"	\$2.07	\$1.96	\$1.86	\$1.76

CARRERA™ 1000F Auto-Darkening Welding Helmet

- 3-year warranty.
- Viewing area 6 sq. in.
- Light state 4
- Dark state 9-13
- Variable sensitivity
- Variable delay
- Grind mode
- TIG rating 25 amps
- 2 sensors
- Inside cover plate: #022001
- Outside cover plate: #022002
- Replacement headgear: #023000



ITEM NO.	DESCRIPTION	1	2	4	8
024000	CARRERA 1000F helmet	\$108.00	\$102.00	\$96.63	\$91.80

Economical Ratcheting Headgear

- With cloth sweatband.



ITEM NO.	DESCRIPTION	1	5	10	20
023000	Economical ratcheting headgear	\$14.85	\$14.03	\$13.29	\$12.63

COMFAGEAR Ratcheting Headgear

- With deluxe sweatband.



ITEM NO.	DESCRIPTION	1	5	10	20
023001	COMFAGEAR Headgear	\$23.40	\$22.10	\$20.93	\$19.89

COMFAGEAR Ratcheting Headgear

- With deluxe sweatband and large knobs.



ITEM NO.	DESCRIPTION	1	5	10	20
023002	COMFAGEAR Headgear	\$28.62	\$27.03	\$25.61	\$24.33



flange wizard® inc.

"welders choice for quality" since 1981

Made in the USA



Vision® Passive Welding Helmet

- Incredibly lightweight for a full size 5x4" welding helmet - under 14 oz.
- Features full head, ear, and neck coverage with a Perma-Lok ratchet headgear.
- Variable center section will accept electronic filters up to 3/8".
- Shade 10 passive filter.



ITEM NO.	DESCRIPTION	1	4	8	12
024090	Passive helmet	\$45.90	\$43.35	\$41.07	\$39.01

CIRCLE WIZ Cutting Attachment

- A must for anyone who cuts small to medium holes in plate or pipe.
- Fits all conventional torches to cut holes from 5/8" to 12" diameter.
- Especially handy for cutting out the holes for matching saddle cuts, weldolets, and threadolet.
- Simply slide the center pin along the hex arm to attain the desired hole radius, place the sharpened point in your center mark and you are ready to cut.
- Solid brass and steel construction, USA-made.



ITEM NO.	DESCRIPTION	1	3	6	12
908483	Flange Wizard	\$70.04	\$66.14	\$62.66	\$59.53

WELDAS®

- Considered one of the best in the industry!
- A favorite among professional welders.
- Draws in perspiration and releases sweat vapor.
- Proven to reduce head irritation from helmet
- **Material:** Flame Retardant Fleecy Cotton Outer Layer, Air-Cushioned Foam Inner Layer, Hook and Loop for Universal Fit



ITEM NO.	DESCRIPTION	1 pack	10	20	40
693910	Welding helmet sweat bands	\$3.26	\$3.07	\$2.90	\$2.75




Phone: (855) 4ZDRILL

Order Email: orderdesk@zdrill.net

Fax: (855) 390-3430

Lightnin' Bug® Torch Lighter

- Multi-Spark discharge.
- Ignites almost all industrial fuel gases.
- Never needs flints, batteries, or recharging.



ITEM NO.	DESCRIPTION	1	5	10	20
902100	Torch Lighter	\$15.56	\$14.69	\$13.92	\$13.23

Spark Lighters

- Reliable torch spark lighters with dependable ignition.
- Available in single flint or triple flint options.



ITEM NO.	DESCRIPTION	1	10	20	40
902010	Single Flint, Carded	\$4.05	\$3.83	\$3.62	\$3.44
902000	Single Flint, Bulk 10/Box	3.14	3.14	2.97	2.81
902030	Triple Flint, Carded	5.97	5.64	5.34	5.08
902020	Triple Flint, Bulk Packed	5.40	5.10	4.83	4.59
902050	Triple Flint w/Flints, Carded	9.62	9.09	8.61	8.18

Spark Lighters

- Reliable torch spark lighters with dependable ignition.
- Available in single flint or triple flint options.



ITEM NO.	DESCRIPTION	1	10	20	40
900100	BEST WELDS Single Flint	\$2.16	\$2.03	\$1.92	\$1.82
900300	BEST WELDS Triple Flint	3.31	3.12	2.95	2.79

Spark Lighter Flints


- These flints are guaranteed to fit perfectly on Shur-Lite lighters, and to remain seated in the flint holder.
- Larger size for longer life.



ITEM NO.	DESCRIPTION	1 card	10	20	30
902013	Single flint, 5 per card	\$1.64	\$1.55	\$1.47	\$1.40
902036	Triple flint, 4 per card	3.91	3.69	3.50	3.32

Torch Tip Cleaner

- Constructed of stainless steel.
- Tapered ends for easy cleaning.
- Includes case with file.
- Diameters: .014, .018, .021, .024, .028, .032, .035, .037, .039, .042, .048, .055, & .062"
- Size Group: #6 thru #25



ITEM NO.	DESCRIPTION	1	5	10	20
908540	Tip Cleaner	\$2.88	\$2.88	\$2.57	\$2.44

MIG Welding Pliers

- Specially designed pliers to assist in wire cutting, tip and nozzle removal and installation, spatter removal and more.
- The IRWIN pliers features induction-hardened cutting edges to stay sharp longer.
- A very versatile and almost indispensable tool to keep handy at every welding station.



ITEM NO.	DESCRIPTION	1	5	10	20
903520	BEST WELDS 8"	\$21.71	\$20.50	\$19.43	\$18.45
222180	IRWIN 10"	23.44	22.14	20.97	19.93

Magnetic Holders

- These powerful magnetic holders come in handy in countless welding/work-holding applications.



ITEM NO.	DESCRIPTION	1	5	10	15
900061	Medium: 45 lb. capacity	9.40	8.87	8.41	7.99
900063	Large: 80 lb. capacity	13.67	12.91	12.23	11.62
900065	X-Large: 95 lb. capacity	18.01	17.01	16.11	15.31

Electrode Holders – High Tong Type

- Lever designed for better hand clearance and hold.
- Made from high quality materials for both high conductivity and improved cable connections.
- Ergonomically designed heavy duty shock-proof nylon handle.
- Body material: Brass



ITEM NO.	AMPS	ELEC-TRODE CAPACITY	CABLE CAPACITY	LENGTH	PRICE EACH			
					1	5	10	20
903010	200	4mm	3/0	8.46"	\$16.24	\$15.34	\$14.53	\$13.81
903013	250	5mm	1/0	9.25"	17.85	16.86	15.97	15.17
903016	300	6.3mm	1/0	10.04"	21.68	20.47	19.40	18.43

Steel Ground Clamps


- Zinc-plated steel ground clamp.
- Large hex screw cable connection assures safe connection every time.
- Broad contact surface area ensures excellent electrical contact.



ITEM NO.	AMPS	CABLE CAPACITY	JAW OPENING	THROAT DEPTH	PRICE EACH			
					1	5	10	20
903025	200	#2	1"	3.28"	\$5.80	\$2.56	\$2.43	\$2.31
903028	300	1/0	1.5"	4.57"	8.78	8.27	7.82	7.41
903031	500	3/0	2"	6.20"	12.64	11.91	11.25	10.67

Magnetic Torch Stands / Electrode Holders

- Helps keep torch away from table clutter
- Protects torch head from inadvertent damage
- Magnetic base offers great flexibility, as it attaches to any steel surface
- Magnetic base prevents slippage of stand



ITEM NO.	TORCH	COLOR	1	5	10	20
903070	Electrode Holder	Red	\$18.25	\$17.24	\$16.33	\$15.51
903073	Mig Gun	Blue	16.12	15.23	14.42	13.70
903076	Tig Torch	Yellow	16.33	15.42	14.61	13.88

TWECO Style Ground Clamps

- Contoured handle lever for easy jaw opening.
- Large contact area assures positive grounding.
- Conductor body holds the cable securely.



ITEM NO.	AMPS	CABLE CAPACITY	JAW CAPACITY	THROAT DEPTH	PRICE EACH			
					1	5	10	20
903040	150	#2	1.5"	2.52"	\$14.84	\$14.01	\$13.27	\$12.61
903055	200	1/0	2"	3.50"	19.27	18.20	17.24	16.38
903061	200	#2	1"	2.64"	41.82	39.50	37.42	35.55
903043	300	1/0 - 3/0	1.5"	3"	22.18	20.95	19.84	18.85
903058	300	3/0	2"	3.86"	28.61	27.02	25.60	24.32
903046	500	2/0 - 4/0	1.5"	3.50"	31.51	29.76	28.19	26.78

LENCO® MIG 300 Ground Clamp

- Powerful bite and swivel pad for low-resistance ground connections.
- Cable capacity 1/0 to 2/0, jaw opening 2", throat depth 1-1/8".



ITEM NO.	DESCRIPTION	1	2	4	8
903483	300 amp ground clamp	\$48.70	\$46.00	\$43.58	\$41.40

Magnetic Holders & Ground Clamps



- These magnets offer you more angles in one product than any other magnetic angles.
- Other magnets often don't turn off completely – Magswitch will.
- The magnets will stay CLEAN for years of use.
- MINI with ground clamp grounds and holds simultaneously.
- Each magnet offers several common angles: 45/135°, 60/120°, 75/105°, and 90°



	Mini	Mini Multi	Mini Multi w/ 300 Amp Ground	Multi Angle 400
Part #	8100352	8100350	8100351	8100438
Magnet Strength	90 lbs	90 lbs	150 lbs	400 lbs
Height	2.1"	2.5"	3.4"	3.8"
Width	1.2"	1.2"	1.6"	2.6"
Length	2.3"	2.8"	3.6"	5.1"
Weight	0.4 lbs	0.4 lbs	1.1 lbs	2.6 lbs

ITEM NO.	MODEL	1	2	4	8
903250	MINI	\$40.49	\$38.24	\$36.23	\$34.42
903260	MINI MULTI	60.19	56.85	53.86	51.16
903263	MINI MULTI w/300 AMP GR	74.99	70.82	67.09	63.74
903266	MULTI ANGLE 400	202.49	191.40	181.46	172.50

TOMAHAWK® Chipping Hammer

- Features the popular "Flex-O" steel coil hand grip, welded to a tough steel handle shaft.
- Heads are "pinned" for safety and reliability.
- Cone and Chisel style.
- Made in the USA.



ITEM NO.	HANDLE TYPE	OAL (INS)	1	5	10	20
903510	Coil, Steel	10	\$12.20	\$11.52	\$10.92	\$10.37

Twin Welding Hose

- Open steam vulcanization curing process does not require pin pricking and offers improved cover and reinforcement adhesions for longer hose life.
- Non-staining coupling ensures that brass fitting will not discolor.
- I.D. 1/4", O.D. 0.53".
- Connection type: B-B.
- Pressure: 200 psi.
- Grade: R.



ITEM NO.	DESCRIPTION	1	3	6	9
903100	1/4" x 25'	\$48.49	\$45.80	\$43.39	\$41.22
903103	1/4" x 50'	68.77	64.95	61.53	58.45

G350 Cutting and Welding Outfit

- Acetylene; oxygen.
- Cutting capacity 3/8 - 6".
- Contains built-in flashback arrestors and check valves.
- Color-coded knobs.
- CA370-V cutting attachment, WH370FC-V welding handle, 1-1-101 cutting tip, 2-UM-350 welding nozzle, G350-150-540 oxygen regulator, G350-15-510 fuel gas regulator, 1/4" x 25' RM hose, goggles, striker.



ITEM NO.	DESCRIPTION	1	2	4
908750	Cutting & welding complete kit	\$507.08	\$481.41	\$458.20



70S6 Welding Wire – Pallet Volume

- High quality welds when used on dirty, oily, or rusty steel.
- Creates a smooth bead appearance resulting in minimal post-weld grinding.
- Provides porosity free, x-ray quality weld.
- Tests & approvals: ASME, SFA, AWS, A5.18.
- Free freight within the lower 48 (pallet volume only).
- Priced per pound.



*** Call for container pricing.**

ITEM NO.	DIA	PACKAGING	POUNDS PER SKID	2	3	4
900624	.035"	33 lb. spool	2376 lb.	\$1.43	\$1.40	\$1.37
900627	.035"	44 lb. spool	2640 lb.	1.34	1.31	1.29
900630	.035"	550 lb. drum	2200 lb.	1.43	1.40	1.37
900639	.045"	33 lb. spool	2376 lb.	1.35	1.32	1.29
900642	.045"	44 lb. spool	2640 lb.	1.34	1.31	1.28
900645	.045"	550 lb. drum	2200 lb.	1.41	1.38	1.35

70S6 Welding Wire – Less-Than-Pallet

- Priced per pound.



ITEM NO.	DIA	PACKAGING	33 lb.	594 lb.	1,188 lb.		
900612	.030"	33 lb. spool	1.74	1.65	1.57	-	-
900621	.035"	33 lb. spool	1.76	1.66	1.58	-	-
900633	.045"	33 lb. spool	1.62	1.53	1.46	-	-
			11 lb.	110 lb.	220 lb.	440 lb.	880 lb.
900601	.023"	11 lb. spool	2.57	2.44	2.32	-	-
900609	.030"	11 lb. spool	1.74	1.65	1.57	1.50	1.43
900618	.035"	11 lb. spool	1.85	1.75	1.66	1.58	1.51
			2 lb.	100 lb.	200 lb.		
900606	.030"	2 lb. spool	0.93	0.88	0.84	-	-
900615	.035"	2 lb. spool	0.91	0.86	0.82	-	-

71T1 Flux-Core Wire

- Limited multi-pass, all position flux cored welding wire designed to weld carbon steel.
- Produces a smooth arc action, low spatter, full slag coverage, and easy slag removal.
- Requires shielding gas.
- Priced per pound.

* **Made in the USA!**



ITEM NO.	DIA	PACKAGING	33 lb	198	396	792
430151	.045"	33 lb. spool	\$3.67	\$3.48	\$3.31	\$3.16
430152	1/16"	33 lb. spool	4.27	4.05	3.86	3.68
			44 lb	264	528	880
430156	.045"	44 lb. spool	3.67	3.67	3.31	3.16
430157	1/16"	44 lb. spool	4.27	4.05	3.86	3.68

308L Stainless Welding Wire

- Used for welding types 304, 304L, 308, & 308L stainless steels, and may also be used for types 321 and 347.
- Similar to type 308 but has lower carbon content to avoid carbide precipitation.
- Priced per pound.



ITEM NO.	DIA	PACKAGING	30 lb	120	240	480
900449	.030"	30 lb. spool	\$6.87	\$6.52	\$6.21	\$5.92
900458	.035"	30 lb. spool	5.98	5.68	5.40	5.16
900464	.045"	30 lb. spool	3.40	3.23	3.07	2.93
			10 lb	100	200	400
900446	.030"	10 lb. spool	7.63	7.25	6.90	6.58
900455	.035"	10 lb. spool	7.61	7.23	6.88	6.56
900461	.045"	10 lb. spool	7.44	7.06	6.72	6.41
			2 lb	50	100	
900440	.023"	2 lb. spool	4.83	4.58	4.36	-
900444	.030"	2 lb. spool	4.15	4.15	3.75	-
900452	.035"	2 lb. spool	4.14	3.93	3.74	-

308L Stainless Welding Wire



ITEM NO.	DIA	PACKAGING	33 lb	165	330	660
430182	.035"	33 lb Spool	\$5.15	\$4.86	\$4.61	\$4.38
430187	.045"	33 lb Spool	4.38	5.90	5.59	5.31

308L-SI Stainless Welding Wire

- Same analysis as 308L but with a higher silicon content, which improves arc stability, bead appearance, and wetting action.
- Priced per pound.



ITEM NO.	DIA	PACKAGING	30 lb	150	300	600
900410	.035"	30 lb. spool	\$6.76	\$6.42	\$6.11	\$5.83
900413	.045"	30 lb. spool	5.02	4.76	4.53	4.33

308L-SI Stainless Welding Wire

- Same analysis as 308L but with a higher silicon content, which improves arc stability, bead appearance, and wetting action.
- Priced per pound.



ITEM NO.	DIA	PACKAGING	33 lb	165	330	660
430173	.035"	33 lb Spool	\$5.72	\$5.40	\$5.12	\$4.86
430178	.045"	33 lb Spool	5.51	5.21	4.93	4.69

309L Stainless Welding Wire



ITEM NO.	DIA	PACKAGING	33 lb	165	330	660
430221	.035"	33 lb Spool	\$5.96	\$5.63	\$5.33	\$5.06
430226	.045"	33 lb Spool	5.96	5.63	5.33	5.06

309L Stainless Welding Wire



ITEM NO.	DIA	PACKAGING	30 lb	120	240	480
900474	.035"	30 lb. spool	\$9.38	\$8.90	\$8.47	\$8.08
900478	.045"	30 lb. spool	7.78	7.39	7.03	6.71

Hard-Surfacing Welding Wire



- Shielding gas required.
- Flux core and metal core available.
- Priced per pound.
- 25 lb. spools.

ITEM NO.	DIA	PRODUCT	1	25 lb	50	100	200
430101	.045"	RC48 Flux-Core	-	\$10.65	\$10.11	\$9.63	\$9.18
430105	.045"	RC60 Flux-Core	12.15	11.67	11.08	10.54	10.06
430111	.045"	RC48 Metal-Core	-	11.33	10.76	10.24	9.77
430112	.045"	RC55 Metal-Core	-	12.91	12.25	11.66	11.13

Hard-Surfacing Welding Wire – Self-Shielding

- No shielding gas required.
- Price per pound
- 25 lb. spools.

ITEM NO.	DIA	PRODUCT	25 lb	50	100	200
430121	.045"	RC48 Flux-Core	\$11.33	\$10.76	\$10.24	\$9.77
430122	.045"	RC55 Flux-Core	12.00	11.39	10.84	10.34
430123	.045"	RC60 Metal-Core	14.13	13.42	12.77	12.18

71TGS Gass-less Flux-Core Wire



- All position, single pass flux cored welding wire designed to weld carbon steel.
- Shielding gas is not required.
- Produces smooth arc action, low spatter, full slag coverage, and easy slag removal.
- Priced per pound.

ITEM NO.	DIA	PACKAGING	10 lb	50	100	200
900660	.035"	10 lb. spool	\$5.21	\$4.95	\$4.71	\$4.49

71TGS Gass-less Flux-Core Wire



ITEM NO.	DIA	PACKAGING	10 lb	50	100	200
430142	.035"	10 lb. spool	\$3.73	\$3.54	\$3.37	\$3.22

70S6 Tig Welding Rods

- High quality welds when used on dirty, oily, or rusty steel.
- Creates a smooth bead appearance resulting in minimal post-weld grinding.
- Provides porosity free, x-ray quality weld. • Tests & approvals: ASME, SFA, AWS, A5.18
- Priced per pound.

ITEM NO.	TYPE	DIAMETER	PACKAGING	10 lb.	100	200	500	1000
900550	70S6 Carbon Steel Tig Welding Rods	1/16" x 36"	10 lbs / Tube	\$0.78	\$0.74	\$0.70	\$0.67	\$0.64
900553	70S6 Carbon Steel Tig Welding Rods	3/32" x 36"	10 lbs / Tube	1.89	1.79	1.70	1.62	1.62
900556	70S6 Carbon Steel Tig Welding Rods	1/8" x 36"	10 lbs / Tube	2.53	2.40	2.28	2.18	2.08
900559	70S6 Carbon Steel Tig Welding Rods	5/32" x 36"	10 lbs / Tube	1.01	0.95	0.91	0.86	0.82

4043 Aluminum Welding Wire & Tig Rods



- 4043 is one of the most widely used alloys for general repair and fabrication.
- With a 5% silicon level, 4043 produces smooth arc results which allow for better arc wetting characteristics and a more fluid arc.
- Low melting temperature and fluidity.
- Moderate electrical and thermal conductivity.
- Superior surface finish for maximum arc transfer.
- Price per pound



ITEM NO.	SIZE	PACKAGE	16 lb	80	160	320	640
900506	.035"	16 lb spool	\$9.14	\$8.67	\$8.26	\$7.88	-
900512	3/64"	16 lb spool	9.19	8.73	8.31	7.93	-
			1 lb	20	50	100	
900500	.030"	1 lb. spool	11.09	10.53	10.03	9.56	-
900503	.035"	1 lb. spool	8.68	8.24	8.24	7.48	-
900509	3/64"	1 lb. spool	9.77	9.28	8.83	8.43	-
			10 lb	50	100	200	500
900480	1/16" x 36"	10 lb Tube	8.61	8.17	7.78	7.42	7.10
900483	3/32" x 36"	10 lb Tube	8.41	7.99	7.60	7.25	-
900486	1/8" x 36"	10 lb Tube	8.31	7.89	7.51	7.17	6.85

5356 Aluminum Welding Wire

- Superior product for welding 5xxx series aluminums.
- Ideal product for trailer, bicycle, and auto repair.
- Good weld color match for welding 5xxx series aluminums.
- Produces welds that are suited for alloys such as 5050, 5052, 5083, 5356, 5454, and 5456
- Price per pound



ITEM NO.	DIA	PACKAGING	1 lb	20	50	100
900530	.035"	1 lb. spool	\$10.77	\$710.23	\$9.74	\$9.29
			16 lb	80	160	320
900533	.035"	16 lb. spool	6.71	6.37	6.06	5.78

Welding Electrodes

- Premium quality welding electrodes.
- 10 lbs per Tube, 40 lbs per Case.
- Priced per pound.



ITEM NO.	TYPE	DIAMETER	PACKAGING	UOM	10 lb.	120	280	560	1200
501100	6010	3/32"	10 lbs / Tube	LB	\$2.50	\$2.36	\$2.24	\$2.13	-
501101	6010	1/8"	10 lbs / Tube	LB	1.91	1.81	1.71	1.63	-
501102	6010	5/32"	10 lbs / Tube	LB	1.99	1.88	1.78	1.69	-
501105	6011	3/32"	10 lbs / Tube	LB	1.99	1.88	1.78	1.69	1.61
501106	6011	1/8"	10 lbs / Tube	LB	1.91	1.81	1.71	1.63	1.55
501107	6011	5/32"	10 lbs / Tube	LB	1.91	1.81	1.71	1.63	1.55
501110	6013	3/32"	10 lbs / Tube	LB	1.91	1.81	1.71	1.63	1.55
501111	6013	1/8"	10 lbs / Tube	LB	1.91	1.81	1.71	1.63	1.55
501112	6013	5/32"	10 lbs / Tube	LB	1.91	1.81	1.71	1.63	1.55
501120	7014	3/32"	10 lbs / Tube	LB	1.99	1.88	1.78	1.69	1.61
501121	7014	1/8"	10 lbs / Tube	LB	1.91	1.81	1.71	1.63	1.55
501122	7014	5/32"	10 lbs / Tube	LB	1.99	1.88	1.78	1.69	1.61
501123	7014	3/16"	10 lbs / Tube	LB	2.13	2.01	1.91	1.81	-
501130	7018	3/32"	10 lbs / Tube	LB	1.91	1.81	1.71	1.63	1.55
501131	7018	1/8"	10 lbs / Tube	LB	1.91	1.81	1.71	1.63	1.55
501132	7018	5/32"	10 lbs / Tube	LB	1.91	1.81	1.71	1.63	1.55
501133	7018	3/16"	10 lbs / Tube	LB	1.99	1.88	1.78	1.69	-
501134	7018	1/4"	10 lbs / Tube	LB	2.13	2.01	1.91	1.81	-
					5 lb.	100	200	500	
901239	7018AC	3/32"	5 lbs / Tube	LB	\$3.70	\$3.49	\$3.31	\$3.14	-
901240	7018AC	1/8"	5 lbs / Tube	LB	3.60	3.40	3.22	3.06	-

4043 Aluminum Welding Electrodes

ITEM NO.	TYPE	DIAMETER	PACKAGING	5 lb.	20	50	100	200
430001	4043 Aluminum Welding Electrodes	3/32"	5 lbs / Tube	\$13.39	\$12.59	\$11.89	\$11.26	\$10.69
430002	4043 Aluminum Welding Electrodes	1/8"	5 lbs / Tube	13.39	12.59	11.89	11.89	10.69
430003	4043 Aluminum Welding Electrodes	5/32"	5 lbs / Tube	13.39	12.59	11.89	11.26	10.69

Nickel 55 & 99 Welding Electrodes (Cast Iron)

- 1 pound tube.

ITEM NO.	DIA	TYPE	1 lb	10	20	50	100
900670	3/32"	55 Nickel	\$38.57	\$36.62	\$34.85	\$33.25	\$31.79
900673	1/8"	55 Nickel	37.82	35.90	34.17	32.60	31.17
900676	5/32"	55 Nickel	37.82	35.90	34.17	32.60	31.17
900680	3/32"	99 Nickel	44.53	42.28	40.24	38.39	36.70
900683	1/8"	99 Nickel	43.87	41.65	39.64	37.82	36.16
900686	5/32"	99 Nickel	43.87	41.65	39.64	37.82	36.16



308L Stainless Welding Electrodes & Tig Rods

- Used for welding types 304, 304L, 308, & 308L stainless steels, and may also be used for types 321 and 347.
- Similar to type 308 but has lower carbon content to avoid carbide precipitation.
- Priced per pound.



ITEM NO.	TYPE	DIAMETER	PACKAGING	5 lb.	50	100	200
900400	ER308L Stainless Electrodes	3/32"	5 lbs / Tube	\$6.68	\$6.34	\$6.04	\$5.76
900403	ER308L Stainless Electrodes	1/8"	5 lbs / Tube	6.17	5.85	5.57	5.31
				10 lb.	50	100	200
900420	308L Stainless Tig Rods	1/16" x 36"	10 lbs / Tube	7.24	6.87	6.54	6.24
900423	308L Stainless Tig Rods	3/32" x 36"	10 lbs / Tube	7.00	6.64	6.32	6.03
900426	308L Stainless Tig Rods	1/8" x 36"	10 lbs / Tube	6.92	6.57	6.25	5.96

Bare and Flux-coated Brazing Rods

- Low melting point makes it easily machinable and excellent for sheet metal work.
- High tensile strength and good ductility.
- Priced per pound.

ITEM NO.	TYPE	DIAMETER	PACKAGING	10 lb.	50	100	200	500
900101	Bare Brazing Rod	3/32" x 36"	10 lbs / Tube	\$13.07	\$12.41	\$11.81	\$11.27	\$10.77
900102	Bare Brazing Rod	1/8" x 36"	10 lbs / Tube	13.07	12.41	11.81	11.27	10.77
900098	Flux-Coated Brazing Rod	3/32" x 36"	10 lbs / Tube	10.77	12.22	11.63	11.09	10.61
900099	Flux-Coated Brazing Rod	1/8" x 36"	10 lbs / Tube	12.87	12.22	11.63	11.09	10.61

RG45 Carbon Steel Solid Tig Welding Rods

- General purpose copper coated oxy-acetylene gas welding rod used for welding low carbon steels up to 1/4" thick.
- Good choice when ductility and machinability are most important.
- No need for a flux when brazing with this product.
- Priced per pound.



ITEM NO.	TYPE	DIAMETER	PACKAGING	10 lb.	100	200	500	1000
430300	RG45 Copper Coated Carbon Steel Rods	1/16" x 36"	10 lbs / Tube	\$2.15	\$2.04	\$1.94	\$1.85	\$1.76
430320	RG45 Copper Coated Carbon Steel Rods	3/32" x 36"	10 lbs / Tube	3.60	3.41	3.24	3.08	2.94
430307	RG45 Copper Coated Carbon Steel Rods	1/8" x 36"	10 lbs / Tube	3.88	3.67	3.49	3.32	3.17
430314	RG45 Copper Coated Carbon Steel Rods	5/32" x 36"	10 lbs / Tube	4.10	3.88	3.69	3.51	3.35

RG60 Gas Tig Welding Rods

- Moly alloyed, high strength oxy-acetylene gas welding rod used for gas brazing of low carbon and low alloy steels.
- Used in applications where a high tensile strength is needed.
- The high silicon and manganese content in this product eliminates the need for a flux when welding.
- Priced per pound.



ITEM NO.	TYPE	DIAMETER	PACKAGING	10 lb.	100	200	500	1000
430321	RG60 Uncoated Carbon Steel Rods	1/8" x 36"	10 lbs / Tube	\$4.44	\$4.21	\$4.00	\$3.81	\$3.64

Bernard® MIG Contact Tips OEM and Aftermarket

• The letter 'A' after an item number indicates that this is not an OEM product (AKA 'after-market').



ITEM NO.	INDUSTRY NO.	SIZE	DESCRIPTION	PKG QTY	UOM	MIN SELL	10 / 25	100	200	400
905005	T-030	.030"	CENTERFIRE	10	EA	10	\$1.69	\$1.69	\$1.53	\$1.45
905008	T-035	.035"	CENTERFIRE	10	EA	10	1.69	1.61	1.53	1.45
905011	T-045	.045"	CENTERFIRE	10	EA	10	1.74	1.64	1.56	1.49
905020	T1035	.035"	QUIK TIP	25	EA	25	1.85	1.75	1.66	1.58
905023	T1045	.045"	QUIK TIP	25	EA	25	1.86	1.76	1.68	1.60
							10 / 25	100	200	400
905035A	1589	.035"		25	EA	25	1.11	1.04	0.99	0.94
905059A	4281	.035"	Tapered	25	EA	25	0.94	1.62	1.53	1.45
905068	7489	.035"		25	EA	25	1.49	1.41	1.34	1.27
905068A	7489	.035"		25	EA	25	0.74	0.70	0.66	0.62
905071A	7490	.045"		25	EA	25	0.74	0.70	0.66	0.62

Bernard® MIG Gas Diffusers OEM and Aftermarket

ITEM NO.	INDUSTRY NO.	SIZE	FOR USE ON	PKG QTY	UOM	1	5	10	20	25	50
905101	DS-1	200/300A	CENTERFIRE, small	10	EA	\$13.40	\$12.68	\$12.03	-	\$11.44	\$10.91
905104	D-1	400-600A	CENTERFIRE, large	1	EA	15.56	14.72	13.96	-	13.28	12.66
905107	D118Q	200-400A	QUIK TIP	10	EA	12.23	-	11.57	10.97	-	10.44
905110	D114Q	500/600A	QUIK TIP	10	EA	15.56	-	14.72	13.96	-	13.28
						1	5	10	20	25	50
905116	4323R		Insulator, use w/small	5	EA	7.74	7.32	6.95	-	6.61	6.30
905122	4435			5	EA	11.24	11.24	10.09	-	9.60	9.15
905122A	4435			5	EA	7.23	-	6.81	6.44	-	6.10
905131A	4335			5	EA	-	7.18	6.77	6.40	-	6.06

Bernard® MIG Welding Nozzles OEM and Aftermarket



ITEM NO.	INDUSTRY NO.	DESCRIPTION	MATERIAL	PKG QTY	UOM	1	5 / 10	20	50	100
905143	NS-1218C	1/2" w/1/8" recess	Copper	10	EA	\$12.63	\$11.95	\$11.33	\$10.78	\$10.28
905149	NS-5800C	5/8" flush, small	Copper	10	EA	14.03	13.27	12.59	11.98	11.42
905152	N-5800C	5/8" flush, large	Copper	5	EA	16.77	15.86	15.05	14.32	13.65
905155	NS-5818C	5/8", 1/8" recess, small	Copper	10	EA	15.04	14.23	13.50	12.84	12.24
905158	N-5818C	5/8", 1/8" recess, large	Copper	10	EA	18.51	17.51	16.62	15.80	15.07
905167	N-3414C	3/4" w/1/4" recess	Copper	10	EA	16.31	16.31	15.45	14.68	13.98
905182	NS-1200B	1/2" flush (small)	Brass	10	EA	13.60	12.86	12.21	11.61	11.07
905197	N-5818B	5/8", 1/8" recess, large	Brass	10	EA	17.24	16.31	15.47	14.72	14.03
905209	N-1C58HQ	Copper Welding Nozzle Assembly		10	EA	26.87	25.42	24.12	22.94	21.87
905224	4592	1/2" nozzle	Copper	10	EA	-	19.96	18.91	17.96	17.11
905224A	4592	1/2" nozzle	Copper	5	EA	-	8.94	8.42	7.96	7.55
905230A	4491	3/4" nozzle	Brass	5	EA	-	7.20	6.78	6.41	6.08
905236A	4392	1/2" nozzle, tapered	Brass	5	EA	-	5.82	5.48	5.18	4.91
905242A	4391	5/8" nozzle	Brass	5	EA	-	5.82	5.48	5.18	4.91

Miller MIG Contact Tips OEM and Aftermarket

• The letter 'A' after an item number indicates that this is not an OEM product (AKA 'after-market').



ITEM NO.	INDUSTRY NO.	SIZE	DESCRIPTION	PKG QTY	UOM	10/25	100	200	400
904221	T-A035CH	.035"	ACCULOCK	10	EA	\$1.51	\$1.43	\$1.36	\$1.30
904230	206-186	.030"		25	EA	2.38	2.25	2.14	2.04
904231	206-187	.035"		25	EA	2.42	2.29	2.18	2.07
904232	206-188	.045"		25	EA	2.36	2.24	2.13	2.03
904241A	087-299	.025"		25	EA	0.80	0.76	0.72	0.68
904244A	000-067	.030"		25	EA	0.80	0.75	0.71	0.68
904247A	000-068	.035"		25	EA	0.80	0.75	0.71	0.68
904250A	000-069	.045"		25	EA	0.80	0.75	0.71	0.68
904270A	135-430	.035"		25	EA	0.95	0.90	0.85	0.81
904280A	186-406	.035"		25	EA	1.02	0.96	0.90	0.86

Miller MIG Gas Diffusers OEM and Aftermarket



ITEM NO.	INDUSTRY NO.	DESCRIPTION	PKG QTY	UOM	10	20	50	100
904334A	169-728		5	EA	\$4.37	\$4.12	\$3.89	\$3.69
904337A	169-716		5	EA	7.46	7.03	6.64	6.30
904325	186-409		2	EA	1.10	1.04	0.99	0.94
					1	10	20	50
904313	206-195	FASTIP	1	EA	22.11	20.92	19.85	18.88
904316	206-196	FASTIP	1	EA	16.13	15.26	14.47	13.77
904301	D-MA250	ACCULOCK	10	EA	15.59	14.74	13.99	13.30

Miller MIG Welding Nozzles OEM and Aftermarket



ITEM NO.	INDUSTRY NO.	SIZE	FOR USE ON	PKG QTY	UOM	1 / 2	5 / 10	20	50	100
904361	N-A5818C	5/8"	ACCULOCK	10	EA	\$20.16	\$19.07	\$19.07	\$17.21	\$16.41
904376	198-855	5/8"		2	EA	21.94	20.79	19.75	18.81	-
904379	199-613			1	EA	-	20.50	19.42	18.45	17.57
904382	199-616			1	EA	-	23.25	22.03	20.93	19.93
904401A	169-715	1/2" Flush		5	EA	-	7.91	7.45	7.04	6.68
904404A	169-724	1/2", 1/8" Recess		5	EA	-	10.28	9.68	9.15	8.67
904407A	169-725	5/8", 1/8" Recess		5	EA	-	10.28	9.68	9.15	8.68
904410A	169-726	5/8" Flush		5	EA	-	10.12	9.54	9.01	8.55
904413A	169-727	5/8", 1/8" Stick-Out		5	EA	-	10.12	9.54	9.01	8.55
904425A	186-405			10	EA	-	5.95	5.61	5.30	5.03
904437A	200-258	1/2" Flush		5	EA	-	15.26	14.38	13.59	12.89
							5	20	50	100
904471A	169-729	Nozzle Adapter		5	EA	-	6.58	6.20	5.86	5.56
904474A	169-730	Shock Washer		1	EA	-	4.57	4.30	4.07	3.86

Tweco® MIG Contact Tips OEM and Aftermarket

• The letter 'A' after an item number indicates that this is not an OEM product (AKA 'after-market').



ITEM NO.	INDUSTRY NO.	SIZE	FOR USE ON	PKG QTY	UOM	25	100	200	400
906003A	11-35	.035" standard	Mini & #1 Guns	25	EA	\$0.49	\$0.46	\$0.44	\$0.42
906005A	11-45	.045" standard	Mini & #1 Guns	25	EA	0.49	0.46	0.44	0.42
906006A	11H35	.035" HD	Mini & #1 Guns	25	EA	0.69	0.65	0.62	0.58
906007A	11H45	.045" HD	Mini & #1 Guns	25	EA	0.69	0.65	0.62	0.58
906010A	11T35	.035" tapered	Mini & #1 Guns	25	EA	0.65	0.61	0.58	0.55
906012A	11T45	.045" tapered	Mini & #1 Guns	25	EA	0.65	0.61	0.58	0.55
906016A	14-30	.030"	#2, 3, & 4 Guns	25	EA	0.52	0.49	0.47	0.44
906017A	14-35	.035" standard	#2, 3, & 4 Guns	25	EA	0.52	0.49	0.47	0.44
906019A	14-45	.045" standard	#2, 3, & 4 Guns	25	EA	0.52	0.49	0.47	0.44
906020A	14-52	.052" standard	#3 & 4 Guns	25	EA	0.52	0.49	0.47	0.44
906023A	14H35	.035" HD	#2, 3, & 4 Guns	25	EA	0.72	0.68	0.64	0.61
906025A	14H45	.045" HD	#2, 3, & 4 Guns	25	EA	0.72	0.68	0.64	0.61
906028A	14T35	.035" tapered	#2, 3, & 4 Guns	25	EA	0.74	0.70	0.66	0.62
906030A	14T45	.045" tapered	#2, 3, & 4 Guns	25	EA	0.74	0.70	0.70	0.62
906046A	16S-35	.035" standard	SPRAYMASTER Gun	25	EA	1.34	1.26	1.19	1.13
906047A	16S-45	.045" standard	SPRAYMASTER Gun	25	EA	1.34	1.26	1.19	1.13
906051	14RZT-35	.035" tapered		25	EA	3.29	3.12	2.96	2.82

Tweco® MIG Welding Nozzles OEM and Aftermarket



ITEM NO.	INDUSTRY NO.	SIZE	FOR USE ON	PKG QTY	UOM	5	20	50	100
906104A	21-50	1/2"	Mini & #1 Guns	5	EA	\$6.55	\$6.17	\$5.84	\$5.53
906106A	21-62	5/8"	Mini & #1 Guns	5	EA	6.55	6.17	5.84	5.53
906112A	22-62	5/8"	#2 Gun	5	EA	2.66	2.51	2.37	2.25
906117A	23-50	1/2"	#2, 3, & 4 Guns	5	EA	7.95	7.49	7.08	6.71
906119A	23-62	5/8"	#2, 3, & 4 Guns	5	EA	7.95	7.49	7.08	6.71
906121A	23H62	5/8" HD Insulated	#2, 3, & 4 Guns	5	EA	15.52	14.62	13.82	13.10
906124A	24A50	1/2" Adjustable	#2, 3, & 4 Guns	5	EA	3.05	2.87	2.71	2.57
906126A	24A62	5/8" Adjustable	#2, 3, & 4 Guns	5	EA	3.05	2.87	2.71	2.57
906132A	24CT50S	1/2" Coarse Thread	#2, 3, & 4 Guns	5	EA	4.42	4.16	3.93	3.73
906134A	24CT62S	5/8" Coarse Thread	#2, 3, & 4 Guns	5	EA	3.73	4.58	4.33	4.10
906156A	HD24L-62	5/8"	SPRAYMASTER Gun	5	EA	11.38	10.72	10.14	9.61
906158A	HD24L-75	3/4"	SPRAYMASTER Gun	5	EA	11.14	10.49	9.92	9.40
906175	EL22CT-62H	5/8"		1	EA	26.78	25.37	24.10	22.95
						5	20	50	100
906141A	32	Insulator	#2 Gun	5	EA	1.20	1.13	1.07	1.01
906143A	34A	Insulator	#2, 3, & 4 Guns	5	EA	1.25	1.17	1.11	1.05
906146A	34CT	Insulator	#2, 3, & 4 Guns	5	EA	8.98	8.46	8.00	7.58

Tweco® MIG Gas Diffusers OEM and Aftermarket



ITEM NO.	INDUSTRY NO.	SIZE	FOR USE ON	PKG QTY	UOM	5	20	50	100
906066A	52FN		Fixed Nozzle, For Use With #2 Gun	5	EA	\$3.51	\$3.30	\$3.12	\$2.96
906069A	54A		#3 & #4 Guns	5	EA	1.99	1.87	1.77	1.68
906075A	HD54-16		SPRAYMASTER Gun	5	EA	6.46	6.09	5.75	5.45
906079	EL52CT-16			1	EA	20.17	19.11	18.15	17.29

Tregaskiss® MIG Contact Tips

• The letter 'A' after an item number indicates that this is not an OEM product (AKA 'after-market').



ITEM NO.	INDUSTRY NO.	SIZE	FOR USE ON	PKG QTY	UOM	25	100	200	400
904513A	403-1-35	.035" HD	Tough Gun® 200, 300, 400, & 500	25	EA	\$0.86	\$0.81	\$0.77	\$0.73
904514A	403-1-45	.045" HD	Tough Gun® 200, 300, 400, & 500	25	EA	0.86	0.81	0.77	0.73
904503	403-20-35-25	.035" HD	TOUGH LOCK	25	EA	1.27	1.20	1.14	1.08

Tregaskiss® MIG Gas Diffusers



ITEM NO.	INDUSTRY NO.	SIZE	FOR USE ON	PKG QTY	UOM	5	20	50	100
904520A	404-1	HD	Tough Gun 200, 300, 400, & 500	5	EA	\$2.31	\$2.17	\$2.05	\$1.95
904523A	404-3	Retaining head (Tough Gun 200, 300, 400, 500)		5	EA	7.15	6.74	6.37	6.04

Tregaskiss® MIG Welding Nozzles



ITEM NO.	INDUSTRY NO.	SIZE	FOR USE ON	PKG QTY	UOM	5	20	50	100
904530A	401-4-50	1/2" w/1/8" Recess	TOUGH GUN 200 – 500	5	EA	\$8.68	\$8.17	\$7.73	\$7.32
904531A	401-4-62	5/8" w/1/8" Recess	TOUGH GUN 200 – 500	5	EA	8.68	8.17	7.73	7.32
904536A	401-6-62	5/8" w/1/8" Recess HD	TOUGH GUN 200 – 500	5	EA	10.83	10.20	9.64	9.14

Lincoln Contact Tips - OEM



ITEM NO.	INDUSTRY NO.	SIZE	FOR USE ON	PKG QTY	UOM	10	100	200	400
904548	KP2744-035	.035"	MAGNUM PRO Gun	10	EA	\$1.64	\$1.55	\$1.48	\$1.40
904549	KP2744-045	.045"	MAGNUM PRO Gun	10	EA	1.58	1.50	1.43	1.36

Hypertherm Plasma Nozzles OEM and Aftermarket



• The letter 'A' after an item number indicates that this is not an OEM product (AKA 'after-market').

Hypertherm



ITEM NO.	INDUSTRY NO.	TYPE	AMPS	PKG QTY	UOM	5	25	50	100
917070A	120577	Cutting	55	5	EA	\$2.95	\$2.78	\$2.63	\$2.49
917090	120826	Shielded	40	5	EA	5.25	4.94	4.67	4.43
917105	120927	Cutting	80	5	EA	10.67	10.10	9.60	9.14
917105A	120927	Cutting	80	5	EA	5.45	5.13	4.85	4.60
917110A	120931	Cutting	60	5	EA				
917150	220064	Cutting	100	5	EA	11.13	10.54	10.01	9.54
917150A	220064	Cutting	100	5	EA	5.75	5.42	5.12	4.86
917160	220480	Cutting	30	5	EA	6.09	5.77	5.48	5.22
917160A	220480	Cutting	30	5	EA	2.65	2.49	2.36	2.23
917170	220671	Cutting	45	5	EA	7.31	6.92	6.58	6.26
917170A	220671	Cutting	45, For PM-45 Hand & Machine Torches	5	EA	4.66	4.66	4.15	3.94
917173	220672	Gouging		5	EA	11.97	11.34	10.77	10.26
917173A	220672	Gouging		5	EA	7.15	6.74	6.37	6.04
917180	220718	Extended nozzle, unshielded		5	EA	6.33	6.00	5.70	5.43
917180A	220718	Extended nozzle, unshielded		5	EA	4.32	4.07	3.85	3.65
917190	220797	Gouging	25 - 85	5	EA	13.56	12.84	12.20	11.62
917190A	220797	Gouging	25 - 85	5	EA	8.40	7.91	7.48	7.09
917200	220816	Cutting	85	5	EA	9.45	8.95	8.50	8.10
917200A	220816	Cutting	85, For PM-85 & 105 Hand Torches	5	EA	6.15	5.80	5.48	5.19
917203	220819	Cutting	65	5	EA	9.45	8.95	8.50	8.10
917203A	220819	Cutting	65, For PM-65, 85, 105 Hand & Machine	5	EA	6.15	5.80	5.48	5.19
917220	220890	Cutting	50	5	EA	13.66	12.94	12.30	11.71
917223	220892	Cutting	130 O2/Air	5	EA	9.86	9.34	8.88	8.45
917240	220930	FC cutting	45	5	EA	9.99	9.46	8.99	8.56
917240A	220930	FC cutting	45	5	EA	6.35	5.99	5.66	5.36
917250	220941	Cutting	45	5	EA	9.24	8.75	8.31	7.92
917250A	220941	Cutting	45	5	EA	6.16	5.80	5.48	5.20
917270	220990	Cutting	105	5	EA	9.56	9.06	8.60	8.19
917270A	220990	Cutting	105	5	EA	6.16	5.80	5.48	5.20
917273	220991	Gouging	105	5	EA	10.06	9.53	9.05	8.62
917273A	220991	Gouging	25 - 85	5	EA	8.15	7.68	7.26	6.88
917350	420044	Nozzle	200 Air	5	EA	20.06	19.00	18.05	17.19

Hypertherm Plasma Retaining Caps OEM and Aftermarket



ITEM NO.	INDUSTRY NO.	FOR USE ON	PKG QTY	UOM	1	5	10	20
918410A	120600	Powermax45 Hand & Machine Torches	1	EA	\$29.91	\$28.17	\$26.63	\$25.25
918440	120928		1	EA	55.61	52.61	49.91	47.48
918440A	120928		1	EA	31.48	29.65	28.03	26.57
918490	220713		1	EA	44.00	41.62	39.49	37.56
918490A	220713		1	EA	26.12	24.61	23.26	22.05
918520	220854	PM-65, 85, 105 Hand & Machine Torches	1	EA	48.59	45.96	43.60	41.48
918520A	220854	PM-65, 85, 105 Hand & Machine Torches	1	EA	31.35	29.54	27.92	26.47

Hypertherm Plasma Shields/Deflectors OEM and Aftermarket

• The letter 'A' after an item number indicates that this is not an OEM product (AKA 'after-market').



ITEM NO.	INDUSTRY NO.	TYPE	FOR USE ON	PKG QTY	UOM	1	5	10	20	50
917550A	120601	Shield/Deflector		1	EA	\$14.74		\$13.88	\$13.12	\$12.44
917570	120929	Shield	40/60/80A	1	EA	20.52		19.41	18.41	17.51
917570A	120929	Shield/Deflector	40/60/80A	1	EA	12.66		11.93	11.27	10.69
917620	220532	Shield	45 Air/N2, 50 O2/Air	1	EA	51.16		48.39	45.91	43.67
917625	220536	Shield	130 Air/N2/H35	1	EA	46.51		44.00	41.74	39.71
917640	220674	Shield/Deflector		1	EA	22.79		21.56	20.45	19.46
917640A	220674	Shield/Deflector	Powermax45 Hand Torch	1	EA	13.71		12.91	12.21	11.57
917643	220675	Shield/Deflector		1	EA	24.19	22.88	21.71	20.65	
917643A	220675	Shield/Deflector		1	EA	13.71	12.91	12.21	11.57	
917655	220798	Shield/Deflector		1	EA	25.49		24.11	22.87	21.76
917655A	220798	Shield/Deflector		1	EA	16.86		15.88	15.01	14.23
917670	220817	Shield/Deflector		1	EA	25.81		24.42	23.17	22.04
917670A	220817	Shield/Deflector	POWERMAX65, 85, 105 Machine	1	EA	15.69		14.78	13.97	13.25
917673	220818	Shield/Deflector		1	EA	23.00		21.76	20.64	19.63
917673A	220818	Shield/Deflector	POWERMAX65, 85, 105 Hand Torch	1	EA	13.82		13.01	12.30	11.66
917685	220955	Deflector 45-105A		1	EA	12.74		12.05	11.44	10.88
917685A	220955	Deflector 45-105A		1	EA	8.28		7.80	7.37	6.99
917700	220992	Shield/Deflector		1	EA	24.30		22.99	21.81	20.74
917700A	220992	Shield/Deflector		1	EA	12.77		12.03	11.37	10.78
917780	420045	Shield	200 Air	1	EA	34.63		32.76	31.08	29.56

Hypertherm Plasma Electrodes OEM and Aftermarket



ITEM NO.	INDUSTRY NO.	AMPS	FOR USE ON	PKG QTY	UOM	5	25	50	100
918050A	120573	Long Life Electrode		5	EA	\$8.34	\$7.86	\$7.42	\$7.04
918070	120926			5	EA	14.15	13.41	12.74	12.13
918070A	120926			5	EA	7.37	6.94	6.56	6.22
918120	220037	100		5	EA	15.32	14.51	13.79	13.13
918120A	220037	100		5	EA	8.57	8.07	7.63	7.23
918133	220478	30	Powermax45 Hand Torches	5	EA	10.08	9.55	9.07	8.64
918133A	220478	30	Powermax45 Hand Torches	5	EA	5.85	5.51	5.21	5.21
918140	220487	130 air / oxy		5	EA	24.08	22.82	21.68	20.64
918140A	220487	130 air / oxy		5	EA	15.40	14.51	13.71	13.00
918150	220528	45 air/N2, 50 O2/air		5	EA	25.78	24.42	23.20	22.10
918150A	220528	45 air/N2, 50 O2/air		5	EA	15.86	14.94	14.12	13.39
918160	220669	45		5	EA	13.86	13.13	12.47	11.88
918160A	220669	45	Powermax45 Hand & Machine Torches	5	EA	7.40	6.97	6.59	6.25
918175	220777	CopperPlus Electrode		5	EA	13.02	12.33	11.72	11.16
918190	220842	45 - 105		5	EA	12.43	11.77	11.19	10.65
918190A	220842	45 - 105	PM-65, 85, 105 Hand & Machine Torches	5	EA	8.57	8.07	7.63	7.23
918200	220937	200 O2/air		5	EA	18.79	17.80	16.91	16.11
918200A	220937	200 O2/air		5	EA	12.88	12.13	12.13	10.87

Hypertherm Plasma Swirl Rings OEM and Aftermarket

• The letter 'A' after an item number indicates that this is not an OEM product (AKA 'after-market').



ITEM NO.	INDUSTRY NO.	AMPS	FOR USE ON	PKG QTY	UOM	1 / 2	5	10	20	40
918710A	120576			2	EA	\$15.37	\$14.48	\$13.68	\$12.97	
918740	120925			2	EA	28.60	27.10	25.74	24.52	
918740A	120925			2	EA	14.08	13.26	12.53	12.53	
918790	220051	100		1	EA	24.63	23.30	22.10	21.02	
918790A	220051	100		2	EA	21.95	20.68	19.55	18.53	
918820	220488	130 O2/Air/N2		1	EA	43.33	40.99	38.88	36.99	
918820A	220488	130 O2/Air/N2		1	EA	26.29	24.77	23.41	22.19	
918830	220529	50		1	EA	47.10	44.55	42.27	40.21	
918830A	220529	50		1	EA	26.29	24.77	23.41	22.19	
918840	220670			1	EA	29.15	27.58	26.16	24.89	
918840A	220670	45		1	EA	20.14	18.97	17.93	17.00	16.16
918850	220857		PM-65 & 85 Hand & Machine Torches	1	EA	29.70	28.09	26.65	25.35	
918850A	220857		PM-65 & 85 Hand & Machine Torches	1	EA	19.03	17.93	16.95	16.06	
918860	220947	(Fine cut)		1	EA	16.06	22.22	21.08	20.05	
918860A	220947	(Fine cut)		1	EA	18.18	17.13	16.19	15.35	
918870	220994	105		1	EA	28.29	26.76	25.38	24.15	
918870A	220994	105		1	EA	19.26	18.14	17.15	16.26	

Lincoln Plasma Cutter Consumables - OEM



ITEM NO.	INDUSTRY NO.	ITEM	PKG QTY	UOM	5	25	50	100
919710	S-18497-1	Plasma Cutting Nozzle	5	EA	\$21.01	\$19.91	\$18.91	\$18.01
919730	S-18752	Plasma Electrode	5	EA	12.60	11.93	11.34	10.80
					1	5	10	20
919750	KP2014-1	Drag Shield Assembly	1	EA	104.97	99.30	94.21	89.61

Miller Plasma Cutter Consumables - OEM



ITEM NO.	INDUSTRY NO.	ITEM	PKG QTY	UOM	3	25	50	100
919810	249-926	Plasma Electrode, Amps: 40	3	EA	\$9.42	\$8.92	\$8.48	\$8.07
919815	249-928	Plasma Cutting Tip, Amps: 40	3	EA	5.64	5.34	5.08	4.83
					1	5	10	20
919860	251-960	Plasma Drag Shield	1	EA	14.44	13.66	12.96	12.33

Thermal Dynamics Plasma Tips OEM and Aftermarket

• The letter 'A' after an item number indicates that this is not an OEM product (AKA 'after-market').

ITEM NO.	INDUSTRY NO.	TYPE	AMPS	PKG QTY	UOM	5	25	50	100
919140A	8-7503	Drag Cutting	35	5	EA	\$6.78	\$6.39	\$6.04	\$5.73
919143A	8-7505	Cutting	70	5	EA	10.92	10.29	9.73	9.22
919146A	8-7506	Gouging		5	EA	6.80	6.41	6.05	5.74
919210	9-0093	Cutting	60	5	EA	5.99	5.99	5.39	5.13
919270	9-8210	Cutting	80	5	EA	11.32	10.72	10.19	9.70
919273	9-8211	Cutting		5	EA	10.68	10.12	9.61	9.15
919276	9-8212	Cutting	90/100	5	EA	11.32	10.72	10.19	9.70
919290	9-8228	Gouging		5	EA	13.10	12.41	11.79	11.23
919320	9-8253	Cutting		5	EA	10.17	9.63	9.15	8.71
						1	5	10	20
919310	9-8236	Drag Cutting	70/100	1	EA	8.71	33.28	31.58	30.04

Thermal Dynamics Plasma Consumables - OEM

ITEM NO.	INDUSTRY NO.	ITEM	PKG QTY	UOM	5	25	50	100
919215	9-0096	Plasma Electrode	5	EA	\$8.74	\$8.28	\$7.86	\$7.49
919265	9-8208	Plasma Consumable	5	EA	10.17	9.63	9.15	8.71
919280	9-8215	Plasma Electrode	5	EA	16.39	15.53	14.75	14.05
919380	9-8407	Plasma Electrode	5	EA	15.81	14.97	14.23	13.55
					1	5	10	15 / 20
919278	9-8213	Start Cartridge	1	EA	61.69	58.35	55.36	52.66
919283	9-8218	Plasma Shield Cup	1	EA	49.99	47.28	44.86	42.67
919315	9-8243	Plasma Consumable	1	EA	19.49	18.43	17.49	16.63
919330	9-8281	Plasma Stand-Off Guide	1	EA	69.41	65.66	62.29	59.26
					5	25	50	100
919295	9-8232	Plasma Consumable	1	EA	13.13	12.43	11.81	11.25
919298	9-8233	Plasma Consumable	1	EA	10.00	9.47	9.00	8.57
					1	5	10	20
919390	9-8422	Plasma Consumable	1	EA	50.81	48.07	45.60	43.38



Hobart Plasma Cutter Consumables - OEM

ITEM NO.	INDUSTRY NO.	ITEM	PKG QTY	UOM	1 / 2	5	10	20
919560	770791	Plasma Cutter Electrode	2	EA	\$17.83	\$16.89	\$16.05	\$15.29
919570	770797	Plasma Cutter Tip	2	EA	11.46	10.86	10.31	9.82
919573	770798	Plasma Cutter Drag Shield	1	EA	9.82	14.97	14.21	13.51

Smith Torch Tips, Acetylene OEM and Aftermarket

• The letter 'A' after an item number indicates that this is not an OEM product (AKA 'after-market').

ITEM NO.	INDUSTRY NO.	SIZE	TYPE	PKG QTY	UOM	1	5	10	20
910020	MC-12-00	00	MC-12 Slip-in Cutting Tip	1	EA	\$24.14	\$22.84	\$21.67	\$20.61
910023	MC-12-0	0	MC-12 Slip-in Cutting Tip	1	EA	20.07	18.99	18.01	17.13
910023A	MC-12-0	0	MC-12 Slip-in Cutting Tip	1	EA	10.68	10.06	9.51	9.01
910026	MC-12-1	1	MC-12 Slip-in Cutting Tip	1	EA	20.07	18.99	18.01	17.13
910026A	MC-12-1	1	MC-12 Slip-in Cutting Tip	1	EA	10.68	10.06	9.51	9.01
910029	MC-12-2	2	MC-12 Slip-in Cutting Tip	1	EA	20.07	18.99	18.01	17.13
910029A	MC-12-2	2	MC-12 Slip-in Cutting Tip	1	EA	10.06	10.06	9.51	9.01
910032	MC-12-3	3	MC-12 Slip-in Cutting Tip	1	EA	20.07	18.99	18.01	17.13
910032A	MC-12-3	3	MC-12 Slip-in Cutting Tip	1	EA	9.95	9.38	8.86	8.40
910035	MC12-4	4	MC-12 Slip-in Cutting Tip	1	EA	20.07	18.99	18.01	17.13
910035A	MC-12-4	4	MC-12 Slip-in Cutting Tip	1	EA	10.68	10.06	9.51	9.01
910038	MC-12-5	5	MC-12 Slip-in Cutting Tip	1	EA	21.93	20.74	19.68	18.72
910050	SC-12-00	00	SC-12 Preheat Cutting Tip	1	EA	17.71	16.76	15.90	15.12
910053	SC-12-0	0	SC-12 Preheat Cutting Tip	1	EA	17.71	16.76	15.90	15.12
910056	SC-12-1	1	SC-12 Preheat Cutting Tip	1	EA	24.69	24.69	22.15	21.07
910056A	SC-12-1	1	SC-12 Preheat Cutting Tip	1	EA	12.05	11.35	10.73	10.17
910059	SC-12-2	2	SC-12 Preheat Cutting Tip	1	EA	25.06	25.06	22.49	21.39
910059A	SC-12-2	2	SC-12 Preheat Cutting Tip	1	EA	12.05	11.35	10.73	10.17
910062	SC-12-3	3	SC-12 Preheat Cutting Tip	1	EA	25.06	23.70	22.49	21.39
910062A	SC-12-3	3	SC-12 Preheat Cutting Tip	1	EA	12.05	11.35	11.35	10.17
910065	SC-12-4	4	SC-12 Preheat Cutting Tip	1	EA	17.71	16.76	15.90	15.12
910065A	SC-12-4	4	SC-12 Preheat Cutting Tip	1	EA	12.05	11.35	10.73	10.17
910068	SC-12-5	5	SC-12 Preheat Cutting Tip	1	EA	21.79	20.61	19.55	18.60
910068A	SC-12-5	5	SC-12 Preheat Cutting Tip	1	EA	12.05	11.35	10.73	10.17
910071	SC-12-6	6	SC-12 Preheat Cutting Tip	1	EA	21.79	20.61	19.55	18.60

Smith Torch Tips, Propane OEM and Aftermarket

ITEM NO.	INDUSTRY NO.	SIZE	TYPE	PKG QTY	UOM	1	5	10	20
910083	MC40-0	0	MC-40 Two-Piece Preheat Cutting Tip	1	EA	21.43	20.27	19.23	19.23
910086	MC40-1	1	MC-40 Two-Piece Preheat Cutting Tip	1	EA	24.33	23.01	21.83	20.77
910089	MC40-2	2	MC-40 Two-Piece Preheat Cutting Tip	1	EA	22.69	21.46	20.36	19.37
910092	MC40-3	3	MC-40 Two-Piece Preheat Cutting Tip	1	EA	24.33	23.01	21.83	20.77
910095	MC40-4	4	MC-40 Two-Piece Preheat Cutting Tip	1	EA	24.33	23.01	21.83	20.77
910100	SC40-0	0	SC-40 Two-Piece Preheat Cutting Tip	1	EA	28.99	27.42	26.01	24.74
910103	SC40-1	1	SC-40 Two-Piece Preheat Cutting Tip	1	EA	28.99	27.42	26.01	24.74
910106	SC40-2	2	SC-40 Two-Piece Preheat Cutting Tip	1	EA	28.99	27.42	27.42	24.74
910109	SC40-3	3	SC-40 Two-Piece Preheat Cutting Tip	1	EA	28.99	27.42	26.01	24.74
910112	SC40-4	4	SC-40 Two-Piece Preheat Cutting Tip	1	EA	28.99	27.42	26.01	24.74

Smith Welding Tips, Acetylene OEM and Aftermarket

• The letter 'A' after an item number indicates that this is not an OEM product (AKA 'after-market').



ITEM NO.	INDUSTRY NO.	DESCRIPTION	PKG QTY	UOM	1	4	8	12
910120	MW201	Medium duty	1	EA	\$46.64	\$44.12	\$41.86	\$39.82
910123	MW203	Medium duty	1	EA	46.64	44.12	41.86	39.82
910126	MW205	Medium duty	1	EA	46.64	46.64	41.86	39.82
910129	MW207	Medium duty	1	EA	50.64	47.91	45.45	43.23
910132	MW209	Medium duty	1	EA	50.64	47.91	45.45	43.23
910150	SW201	Heavy duty	1	EA	49.07	46.42	44.04	41.89
910153	SW203	Heavy duty	1	EA	49.07	46.42	44.04	41.89
910156	SW205	Heavy duty	1	EA	49.07	46.42	44.04	41.89
910159	SW207	Heavy duty	1	EA	71.23	67.38	63.92	60.80
910162	SW209	Heavy duty	1	EA	49.07	46.42	44.04	41.89
910165	SW210	Heavy duty	1	EA	85.43	80.81	76.67	72.93

Victor Torch Tips, Acetylene



ITEM NO.	INDUSTRY NO.	SIZE	FOR USE ON	PKG QTY	UOM	1	5	10	20
910310A	1-101-000	000		1	EA	\$12.60	\$11.90	\$11.27	\$10.71
910313A	1-101-00	00	2460, CA-1060, ST, SST, & 1400C	1	EA	7.12	6.71	6.34	6.01
910316A	1-101-0	0	2460, CA-1060, ST, SST, & 1400C	1	EA	7.12	7.12	6.34	6.34
910319A	1-101-1	1	2460, CA-1060, ST, SST, & 1400C	1	EA	7.12	6.71	6.34	6.01
910322A	1-101-2	2	2460, CA-1060, ST, SST, & 1400C	1	EA	7.12	6.71	6.34	6.01
910325A	1-101-3	3	2460, CA-1060, ST, SST, & 1400C	1	EA	7.12	6.71	6.34	6.01
910328A	1-101-4	4	2460, CA-1060, ST, SST, & 1400C	1	EA	7.12	6.71	6.34	6.01
910331A	1-101-5	5	2460, CA-1060, ST, SST, & 1400C	1	EA	7.12	6.71	6.34	6.01
910334A	1-101-6	6	2460, CA-1060, ST, SST, & 1400C	1	EA	7.12	6.71	6.34	6.01
910340A	3-101-00	00	2460, CA-1060, ST, SST, & 1400C	1	EA	6.71	6.32	5.97	5.66
910343A	3-101-0	0	2460, CA-1060, ST, SST, & 1400C	1	EA	6.71	6.32	5.97	5.66
910346A	3-101-1	1	2460, CA-1060, ST, SST, & 1400C	1	EA	6.71	6.32	5.97	5.66
910349A	3-101-2	2	2460, CA-1060, ST, SST, & 1400C	1	EA	6.71	6.32	5.97	5.66
910352A	3-101-3	3	2460, CA-1060, ST, SST, & 1400C	1	EA	6.71	6.32	5.97	5.66
910355A	3-101-4	4	2460, CA-1060, ST, SST, & 1400C	1	EA	6.71	6.32	5.97	5.66
910358A	3-101-5	5	2460, CA-1060, ST, SST, & 1400C	1	EA	6.71	6.32	5.97	5.66

Victor Torch Tips, Propane



ITEM NO.	INDUSTRY NO.	SIZE	FOR USE ON	PKG QTY	UOM	1	5	10	20
910380A	1-GPN-000	000	2450, CA-1060, CAN-1060, ST, SST, STN, & 1400C	1	EA	\$8.26	\$7.78	\$7.36	\$6.97
910383A	1-GPN-00	00	2450, CA-1060, CAN-1060, ST, SST, STN, & 1400C	1	EA	8.26	7.78	7.36	6.97
910386A	1-GPN-0	0	2450, CA-1060, CAN-1060, ST, SST, STN, & 1400C	1	EA	8.27	7.79	7.36	6.98
910389A	1-GPN-1	1	2450, CA-1060, CAN-1060, ST, SST, STN, & 1400C	1	EA	8.26	7.78	7.36	6.97
910392A	1-GPN-2	2	2450, CA-1060, CAN-1060, ST, SST, STN, & 1400C	1	EA	6.97	7.78	7.36	6.97
910395A	1-GPN-3	3	2450, CA-1060, CAN-1060, ST, SST, STN, & 1400C	1	EA	8.26	7.78	7.36	6.97
910398A	1-GPN-4	4	2450, CA-1060, CAN-1060, ST, SST, STN, & 1400C	1	EA	8.26	7.78	7.36	6.97
910401A	1-GPN-5	5	2450, CA-1060, CAN-1060, ST, SST, STN, & 1400C	1	EA	8.26	7.78	7.36	6.97
910404A	1-GPN-6	6	2450, CA-1060, CAN-1060, ST, SST, STN, & 1400C	1	EA	8.26	7.78	7.36	6.97
910410A	3-GPN-000	000		1	EA	8.27	7.79	7.36	6.98
910413A	3-GPN-00	00		1	EA	8.26	7.78	7.36	6.97
910416A	3-GPN-0	0		1	EA	6.97	7.78	7.36	6.97
910419A	3-GPN-1	1		1	EA	8.26	7.78	7.36	6.97
910422A	3-GPN-2	2		1	EA	8.26	7.78	7.36	6.97
910425A	3-GPN-3	3		1	EA	8.26	7.78	7.36	6.97
910428A	3-GPN-4	4		1	EA	8.26	7.78	7.36	6.97

Harris Torch Tips, Acetylene

• The letter 'A' after an item number indicates that this is not an OEM product (AKA 'after-market').



ITEM NO.	INDUSTRY NO.	SIZE	FOR USE ON	PKG QTY	UOM	1	5	10	20
910510A	6290-000	000		1	EA	\$5.88	\$5.54	\$5.23	\$5.23
910513A	6290-00	00		1	EA	5.88	5.54	5.23	4.96
910516A	6290-0	0		1	EA	5.88	5.54	5.23	4.96
910519A	6290-1	1		1	EA	5.88	5.88	5.23	4.96
910522A	6290-2	2		1	EA	5.88	5.88	5.23	4.96
910525A	6290-3	3		1	EA	5.88	5.54	5.23	4.96
910528A	6290-4	4		1	EA	5.88	5.54	5.23	4.96
910531A	6290-5	5		1	EA	5.88	5.54	5.23	4.96

Harris Torch Tips, Propane



ITEM NO.	INDUSTRY NO.	SIZE	FOR USE ON	PKG QTY	UOM	1	5	10	20
910550A	6290-NX-000	000		1	EA	\$5.69	\$5.36	\$5.07	\$4.81
910553A	6290-NX-00	00		1	EA	5.69	5.36	5.07	4.81
910556A	6290-NX-0	0		1	EA	5.69	5.36	5.07	4.81
910559A	6290-NX-1	1		1	EA	5.69	5.36	5.07	4.81
910562A	6290-NX-2	2		1	EA	5.69	5.36	5.07	4.81
910565A	6290-NX-3	3		1	EA	5.69	5.36	5.07	4.81
910568A	6290-NX-4	4		1	EA	5.69	5.36	5.36	4.81
910571A	6290-NX-5	5		1	EA	5.86	5.52	5.22	5.22
910574A	6290-NX-6	6		1	EA	5.69	5.36	5.07	4.81

Purox Torch Tips, Acetylene



ITEM NO.	INDUSTRY NO.	SIZE	FOR USE ON	PKG QTY	UOM	1	5	10	20
910710A	4202-2	2		1	EA	\$6.20	\$5.84	\$5.52	\$5.23
910713A	4202-3	3		1	EA	6.20	5.84	5.52	5.23
910716A	4202-4	4		1	EA	6.20	5.84	5.52	5.23
910719A	4202-5	5		1	EA	6.20	5.84	5.52	5.23
910722A	4202-7	7		1	EA	6.20	5.84	5.84	5.23
910725A	4202-9	9		1	EA	5.78	5.45	5.15	4.88
910728A	4202-11	11		1	EA	6.20	5.84	5.52	5.23

Airco Torch Tips, Acetylene



ITEM NO.	INDUSTRY NO.	SIZE	FOR USE ON	PKG QTY	UOM	1	5	10	20
910810A	164-00	00		1	EA	\$8.02	\$7.55	\$7.14	\$6.77
910813A	164-0	0		1	EA	8.02	7.55	7.14	6.77
910816A	164-1	1		1	EA	8.02	7.55	7.14	6.77
910819A	164-2	2		1	EA	8.02	7.55	7.14	6.77
910822A	164-3	3		1	EA	8.02	7.55	7.14	6.77
910825A	164-4	4		1	EA	8.02	7.55	7.14	6.77